RAFFIC SAFETY AREHOUSE

877-966-1018

- HUGE SELECTION
- LOW PRICES
- TOP BRANDS
- FAST SHIPPING

TRAFFIC SAFETY pages 02-24





WORK ZONE pages 25-32



CROWD CONTROL pages 33-34



FACILITY SAFETY pages 35-37





SIGN STANDS pages 38-39



A-Frame Barricade Kits and Type III's

Plasticade® A-Frame Barricade Kits - Made 🗓 U.S.A.



Rugged, "double-wall" A-Frame plastic barricade. Sheeting is applied to both sides of I-Beam boards, left sheeting on one side and right sheeting on the other side. Legs are designed to receive flashing lights & can be internally ballasted with sand. Leg dimensions: 92" x 28.6"W; Board opening 2"W x 8"H

2 Legs and 1 I-Beam Board

_	
#200-KITS: 6' Boards	
w/Engineer Grade Sheeting	\$54.75
w/HI Prismatic Grade Sheeting	\$59.75
#200-KITS: 8' Boards	
w/Engineer Grade Sheeting	\$63.75
w/HI Prismatic Grade Sheeting	\$66.75

2 Legs with 2 I-Beam Boards

#2002-KITS: 6' Boards	
w/Engineer Grade Sheeting	\$85.95
w/HI Prismatic Grade Sheeting	\$99.50
#2002-KITS: 8' Boards	
w/Engineer Grade Sheeting	\$104.95
w/HI Prismatic Grade Sheeting	\$115.00

Plasticade A-Frame Parts

#2002: Single A-Frame Leg - White	\$19.95
#I-BEAM: 6' Boards	
No Sheeting	\$17.50
w/Engineer Grade Sheeting	\$35.90
w/HI Prismatic Grade Sheeting	\$43.00
#I-BEAM: 8' Boards	
No Sheeting	\$22.80
w/Engineer Grade Sheeting	\$45.90
w/HI Prismatic Grade Sheeting	\$54.95
4', 10' & 12' board also ava	ailable

Omni™ A-Frame Barricade Kits - Made 🗓 U.S.A.



Sheeting is applied to both sides of boards, left sheeting on one side and right sheeting on the other side. Leg Weighs 6 lbs., 20% heavier than the Plasticade A-Frame barricade leg. Flashing light mounting receptacle on each leg. Leg dimensions: 40"H x 28.6"W; 6 lbs.

2 Legs and 1 Board

#203-KITS: 6' Boards	
w/Engineer Grade Sheeting	\$55.00
w/HI Prismatic Grade Sheeting	\$62.95
#203-KITS: 8' Boards	
w/Engineer Grade Sheeting	\$64.00
w/HI Prismatic Grade Sheeting	\$72.50

2 Legs and 2 Boards

#2003-KITS: 6' Boards	
w/Engineer Grade Sheeting	\$95.00
w/HI Prismatic Grade Sheeting	\$109.95
#2003-KITS: 8' Boards	
w/Engineer Grade Sheeting	\$99.00
w/HI Prismatic Grade Sheeting	\$125.00

Omni[™] A-Frame Parts #2003: Single A-Frame Leg White

#1X8BOARD: 6' Boards	
No Sheeting	\$9.25
w/Engineer Grade Sheeting 2 Sides	\$34.50
w/HI Prismatic Grade Sheeting 2 Sides	\$37.50
#1X8BOARD: 8' Boards	
No Sheeting	\$9.95
w/Engineer Grade Sheeting 2 Sides	\$39.95
w/HI Prismatic Grade Sheeting 2 Sides	\$42.50

\$19.95

4', 10' & 12' board also available

Telespar® Type III Barricade Kits

Galvanized for superior corrosion protection - 14 gauge, hot rolled high carbon steel. Universal mounting holes, pre-punched 7/16th. Square shape provides superior wind load capabilities and inhibits warping. Quick removal of uprights from feet - allows for short term or permanent placement. Plastic boards. Accepts two flashing lights NCHRP-350 accepted, meets MUTCD standards

Also available with 4', 10', & 12' or any size boards

#3506	6' Boards w/Engineer Grade Sheeting one side	\$131.75
	6' Boards w/Engineer Grade Sheeting both sides	\$159.00
	6' Boards w/High Intensity Prismatic Grade Sheeting one side	\$133.95
	6' Boards w/High Intensity Prismatic Grade Sheeting both sides	\$198.75
#3508	8' Boards w/Engineer Grade Sheeting one side	\$144.25
	8' Boards w/Engineer Grade Sheeting both sides	\$174.50
	8' Boards w/High Intensity Prismatic Grade Sheeting one side	\$158.95
	8' Boards w/High Intensity Prismatic Grade Sheeting both sides	\$199.00



Quantity pricing available please call. Please call for shipping quotes.

Plasticade® Break-Away Type III Kit

Includes base, upright, & three boards. All plastic and collapsible. Easier to transport, install, store than wood or steel Type III barricades. Dim.: Upright - 3.5" x 3.5" x 5'; Base -1.5" x 5.5" x 5'; NCHRP 350 Certified and Meets MUTCD Standards.



All Plastic and Collapsible! Made in U.S.A.

Also available with 4', 10' & 12' Boards

#306	6' Boards EG Sheeting one side	\$160.00
	6' Boards EG Sheeting both sides	\$190.00
	6' Boards HI Grade Sheeting one side	\$190.00
	6' Boards HI Grade Sheeting both sides	\$200.00
#308	8' Boards EG Sheeting one side	\$186.00
	8' Boards EG Sheeting both sides	\$206.00
	8' Boards HI Grade Sheeting one side	\$196.00
	8' Boards HI Grade Sheeting both sides	\$216.00

Angle Iron Type III Barricade Kits

Angle Iron Uprights are 10 gauge, galvanized steel. Uprights contain holes for boards 11/32" and holes for lights 9/16". Feet are 10 gauge steel, mill finish. Plastic 1" x 8" boards. Quick removal of uprights from feet. Easy to asssemble and replace parts.




Accepts two flashing lights Dimensions.: Uprights - 1.5"x1.5"x63" Feet - 1.5"x1.5"x60" Riser 6" NCHRP-350 Accepted, Meets MUTCD Standards

Also available with 4', 10' & 12' Boards

#3908	8' Boards EG Sheeting one side	\$119.25
	8' Boards EG Sheeting both sides	\$135.50
	8' Boards HI Grade Sheeting one side	\$125.95
	8' Boards HI Grade Sheeting both sides	\$164.95
#3906	6' Boards EG Sheeting one side	\$97.75
	6' Boards EG Sheeting both sides	\$126.95
	6' Boards HI Grade Sheeting one side	\$108.75
	6' Boards HI Grade Sheeting both sides	\$139.95

Plasticade® Type | Barricades - Made | U.S.A.

All plastic and maintenance free, never rusts, or needs painting, or leg straightening. Molded hollow in handle where a flashing light can be attached. Legs can be internally ballasted with up to 5 lbs per leg of sand. Patented hinges "click lock" for a positive interlock in the open position. Dimensions: 25"W x 45"H, Weight: 16 lbs. NCHRP 350 Certified and Meets MUTCD Standards.



# 100W	Plain White Barricade - No Sheeting	\$39.00
# 100O	Plain Orange Barricade - No Sheeting	\$39.00
# 100-WT8EG	8" X 24" Top Panel Engineer Grade Striped Sheeting	\$45.95
# 100-WT8HIP	8" x 24" Top Panel High Intensity Prismatic Sheeting	\$49.95
# 100-WT12EG	12" X 24" Top Panel Engineer Grade Striped Sheeting	\$49.95
# 100-WT12HIP	12" x 24" Top Panel High Intensity Prismatic Sheeting	\$52.95



Combocade® Type I Barricades - Made in U.S.A.

Steel legs with plastic boards, boards can be replaced in minutes and legs can be replaced or repaired. 45" steel legs, 14 gauge thickness - galvanized coated finish for corrosion protection. Plastic boards are strong and dense, will not bend, warp, crack, splinter, or peel. Bolt holes are molded into the plastic boards, making board replacement quick and easy. Dimensions: 24.4"W x 42.6"H; NCHRP 350 Certified and Meets MUTCD Standards. Call for other options.

105G-T8EGB6 Steel Legs with 8"x24" plastic board on top with Engineer Grade Sheeting and 6"x24" unsheeted plastic board on bottom. \$42.00

105G-T8EGB8 Steel Legs with 8"x24" plastic board on top with Engineer Grade Sheeting and 8"x24" unsheeted plastic board on bottom. \$45.50

105G-T12EGB6 Steel Legs with 12"x24" plastic board on top with Engineer Grade Sheeting and

\$45.50 6"x24" unsheeted plastic board on bottom.



Econocade® Type I Barricades - Made III U.S.A.

All plastic, economical barricade, that is strong and stackable. Solid wall design; legs and boards are molded in one piece. Weighing only 13.5 lbs., it is easy to handle, pack and transport. Meets MUTCD Standards; 24.4"W x 42.6"H; Top panel 12"H x 24"W. bottom panel 8"H x 24"W. Made in America



# 110-W	Plain White Barricade - No Sheeting	\$32.00
# 110-WT8EG	8" X 24" Top Panel Engineer Grade Striped Sheeting	\$36.50
# 110-WT8HIP	8" x 24" Top Panel High Intensity Prismatic Sheeting	\$42.95
# 110-WT12EG	12" X 24" Top Panel Engineer Grade Striped Sheeting	\$39.95
# 110-WT12HIP	12" x 24" Top Panel High Intensity Prismatic Sheeting	\$45.00



ICING AVAILABLE ON ALL BARRICADES

Plasticade® Type II Barricades - Made III U.S.A.



All plastic and maintenance free, never rusts, or needs painting, or leg straightening. Molded hollow in handle where a flashing light can be attached. Legs can be internally ballasted with up to 5 lbs per leg of sand. Striped sheeting on top and bottom panels. Patented hinges "click lock" for a positive interlock in the open position. Dimensions: 25"W x 45"H, Weight: 16 lbs. NCHRP 350 Certified and Meets MUTCD Standards.

100-WT8B8EG 8" X 24" top & 8" X 24" bottom panel Engineer Grade Striped Sheeting \$55.00 # 100-WT8B8HIP 8" X 24" top & 8" X 24" bottom panel High Intensity Prismatic Sheeting \$56.95 # 100-WT12B8EG 12" X 24" top & 8" X 24" bottom panel Engineer Grade Striped Sheeting \$58.50 # 100-WT12B8HIP 12" x 24" top & 8" x 24" bottom panel High Intensity Prismatic Sheeting \$65.75

Combocade® Type II Barricades - Made III U.S.A.

Steel legs and plastic boards with striped sheeting on top and bottom. Boards can be replaced in minutes and legs can be replaced or repaired. 45" steel legs, 14 gauge thickness - galvanized coated finish for corrosion protection. Plastic boards are strong and dense, will not bend, warp, crack, splinter, or peel. Bolt holes are molded into the plastic boards, making board replacement quick and easy. Dimensions: 24.4"W x 42.6"H; NCHRP 350 Certified and Meets MUTCD Standards.

# 105G-T8EGB8EG	8"x24" boards on top & bottom w/Engineer Grade Sheeting	\$49.95
# 105G-T8HIPB8HIP	8"x24" boards on top & bottom w/High Intensity Prismatic Sheeting	\$55.00
# 105G-T12EGB8EG	12"x24" top & 8"x24" bottom board both w/Engineer Grade Sheeting	\$52.50
# 105G-T12HIPB8HIP	12"x24" top & 8"x24" bottom board both w/High Intensity Prismatic Sheeting	\$64.50



Econocade® Type II Barricades - Made in U.S.A.



All plastic, economical barricade, that is strong and stackable. Solid wall design; legs and boards are molded in one piece. Striped sheeting on top and bottom boards. Weighing only 13.5 lbs., it is easy to handle, pack and transport. Meets MUTCD Standards; 24.4"W x 42.6"H; Top panel 12"H x 24"W, bottom panel 8"H x 24"W. Made in America

110-WT8B8EG 8" X 24" top & 8" X 24" bottom panel Engineer Grade Striped Sheeting \$44.25
110-WT8B8HIP 8" X 24" top & 8" X 24" bottom panel High Intensity Prismatic Sheeting \$49.75
110-WT12B8EG 12" X 24" top & 8" X 24" bottom panel Engineer Grade Striped Sheeting \$45.50
110-WT12B8HIP 12" x 24" top & 8" x 24" bottom panel High Intensity Prismatic Sheeting \$54.00

QUANTITY PRICING AVAILABLE ON ALL BARRICADES

Delineators & Channelizers



Navicade® Traffic Channelizer

Narrow design & offset handle, molded-in holes for mounting light & ropes. Stackable for easy transportation or storage. Rubber Base made of durable low-density polyethylene. 3lbs. without base. Dimensions: 49.25"H x 7.6"W.

#650R1-O: NO COLLAR & NO BASE	\$10.00
#650R1-O-RB16: W/16 lbs. base & NO REFLECTIVE COLLAR	\$22.00
#650R1-O-4-EG-A-RB16: 4 - 4" Engineer Grade Sheeting & 16 lbs. base	\$28.25
#650R1-O-4-HIP-A-RB16: 4 - 4" High Intensity Grade Sheeting & 16 lbs. base	\$32.95
#650-RB10: 10 lbs. Solid recycled rubber base. Opening 7.75"	\$9.50
#650-RB16: 16 lbs. Solid recycled rubber base. Opening 7.75"	\$12.00
#650-RB30: 30 lbs. Solid recycled rubber base. Opening 7.75"	\$20.00

Open Top Delineator

Two sizes, 42" and 28" posts. 4" Flange on bottom grabs base for tight fit, 6" dia. Quick to set up. Reflective bands, 3" wide durable

up. Reflective bands, 3" wide durable polyethylene. Recycled rubber bases also sold separately. 42"H = 1.7 lbs., 28"H = 1.1 lbs.


#6842-O-3-EG-WW-RB8: 42" H,

8 lbs. base, 2-3" E.G. Bands \$14.75

#6842: 42" H, NO BASE, 2-3" E.G. Bands **\$6.00**

RUBBER BASE:

Use with #6828 & #6842 Delineators.
Recycled Rubber Snug fitting. 4 sizes available.



#7200 RB8	8 pound base	\$7.25
#7200 RB10	10 pound base	\$8.00
#7200 RB12	12 pound base	\$10.00
#7200 RB18	18 pound base	\$13.50

3" Flat Tube Boomerang

36" & 42" tall delineation device. The

BOOMERANG base (included) trans-

fers the stress from impacts to the

base, giving longer service life to the

HDPE tube. Meets all state specifica-

tions for two-way, two-lane delineators. Perfect for parking lots, islands, work

zones, concrete barriers & bridges.

36" tube 3"x12" stripe 1 side

42" tube 3"x12" stripe 1 side

36" tube NO stripe

42" tube NO stripe

Butyl Pads

Adhesive pads for delineator posts. Choose from 2 different size options. As low as \$.68 each!

#BUTYLPAD 4"x4"x3/32" 150 for \$102.95
#BUTYLPAD 8"x8"x3/32" 35 for \$62.50

Re-bounder™ Flexible Post

36" or 28" Flexible Traffic Delineator Post. Polycarbonate base, polyethylene tube & unique elastic hinge design, offer extreme durability after being struck continuously. If needed, the tubing can be easily replaced on the job site. Use adhesive to secure to surface.



SOLD AS A SET OF 10

28" post 1-3" stripe \$28.40 ea. 28" post 1-4" stripe \$28.80 ea. 36" post 1-3" stripe \$30.00 ea. 36" post 1-4" stripe \$30.30 ea.

2.25" Round Boomerang

36" & 42" tall delineation device. The BOO-MERANG base (included) transfers the stress from impacts to the base, giving longer service life to the HDPE tube. Meets all state specifications for two-way, two-lane delineators. Perfect for parking lots, islands, work zones, concrete barriers & bridges.

1	36" tube NO striping	\$37.75
	36" tube 2-3" white H.I. stripes	\$41.75
ı	42" tube NO striping	\$40.25
l.	42" tube 2-3" white H.I. stripes	\$44.00
10		

36" Round Delineator

3-inch round channelizer made of polyurethane, the toughest flexible plastic available. Highly visible, day and night with bright colors and reflective sheeting. Remains extremely flexible, even at extreme temperatures and returns to an upright position after impact. MUTCD Compliant.

Sold in Carton of 5

Choose white or yellow post \$180.00



Sentinel Delineator Device

High-quality, recycled materials with impact modifiers & UV protection make up the most resilient, durable, high-visibility posts on the market today. Posts are white w/HIP sheeting.



SOLD AS A SET OF 25

56" post 3"x12" H.I. stripe 1 way \$18.40 ea.

66" post 3"x12" H.I. stripe 1 way \$20.74 ea.

3" Flat Earthflex™ Flexible

Unique Earthflex hinge system allows for repeated impacts & returns to its original position. The most flexible, durable, impact-resistant marker designed to withstand the extremes of hot or cold weather. Included anchor can be driven into soils w/common tools.

60" post NO stripe \$47.50 60" post 3"x12" stripe 1 side \$50.50 66" post 3"x12" NO stripe \$48.25 66" post 3"x12" stripe 1 side \$51.25 72" post 3"x12" NO stripe \$49.00 72" post 3"x12" stripe 1 side \$52.00



\$41.50

\$43.00

\$42.25

\$43.95

Delineators & Channelizers









Gemstone® Vertical Panels

Engineer Grade Striped Sheeting with 6" wide stripes. Designed to withstand repeated impacts and minimize damage to vehicles. Oversized handle with comfort grip can be picked up easily, even with light attached. Flashing light mounting receptacle. Recessed panel protects reflective sheeting. NCHRP 350 Certified and Meets MUTCD Standards. Made in the USA. Dimensions: 44.5"H x 15.4"W

36" High Striping - BASE SOLD SEPARATELY

#4100-O: NO SHEETING

#4100-36-EG4: Engineer Grade 4" Striped Sheeting

#4100-36-HIP: H.I. Prismatic Grade 4" Striped Sheeting

#4100W: with NO PARKING legend

#4100W: with NO PARKING legend

\$43.95

#4100W: with NO PARKING legend

\$43.95

Gemstone® Rubber Bases

Gemstone rubber bases for use with items #4100-O, #4100-36-EG, #4100-24-EG. Opening Dimension: 12.75"W x 5.75"H. Made in the USA.

#400-B20R: 20 lbs. base, Dim.: 20.25"W x 20.25"L x 2"H **\$14.50 #400-B30R:** 30 lbs. base, Dim.: 20.25"W x 28.25"L x 2"H **\$19.75**

42" Orange Traffic Stacker Cones

42" Tall Plain Stacker Cone. Easily stackable for storage. Used instead of drums in many applications. Slotted handle is ideal for threading caution tape. Perfect for cordoning off an area. Does not obscure driver's line of vision. Larger & far more visible than cones. Weight: 3lbs. NCHRP Certified & Meets MUTCD Standards Base sold separately. Also available in yellow.

#500-0: ORANGE NO SILVER COLLAR \$11.50 #500-O46: 4" & one 6" High Intensity Silver Collar \$32.95 #501: Plastic Base Only - 16 lb., 20.5" W, 2"H, inside dia. 8.25" \$13.50 #501: Plastic Base Only (Sand fillable up to 16 lbs.) \$8.25

42" Watchtower™ Stacker Cone

Stack up to 20% more on your truck! Ergonomic handle, speeds placement on job. Use with 10, 16, or 30 lb. recycled rubber base, sold separately.

#510-O: NO SHEETING \$12.25 **#510-O:** W/HIP SHEETING 4" & 4" \$17.95 **#510-O:** W/HIP SHEETING 6" & 4"

Watchtower™ - Rubber Bases

Solid recycled rubber base. Opening 7.75" #650-RB10: 10 lb. \$9.50 | #650-RB16: 16 lb. \$12.00 | #650-RB30: 30 lb. \$20.00

Pavement Markers

Pavement markers are ideal for hazardous work zones. RPM Pavement Marker 4"x4" Case of 100



Halftrack Pavement Marker 4"x2" Case of 200



1-way white w/Butyl	\$262.25
1-way yellow w/Butyl	\$262.25
2-way white w/Butyl	\$289.25
2-way yellow w/Butyl	\$289.25

These reflectors can be used to build a boundary near road edges, cliffs and more! Reflectors are 3" in diameter with a 3/8" hole. Available in Amber or Red



#RF-1 PLASTIC REFLECTOR Amber or Red \$2.75

#RF ALUMINUM REFLECTOR Amber or Red \$3.50

Pathfinder's non-reflective raised pavement markers hexagon pattern increases strength



& adhesive surface area. Physical and audible warning for motorists. Manufactured Using Polypropylene.

CASES OF 100

4" white \$100.00

4" yellow \$100.00

Roadquide Plastic Barrier Marl

Produced using specially formulated high impact polymer that provides exceptional flexibility increasing impact resistance, molded to bend on impact & return to original shape. Larger molded hole to allow more adhesive to flow through to increase the bond between marker & barrier, facilitating ease of installation. All sheeting complies with ASTM 4956.01.



4"x16" w/3"x12" sheeting - Cases of 50

White H.I. sheeting 1-way	\$369.25
White H.I. sheeting 2-way	\$369.25
Yellow H.I. sheeting 1-way	\$369.25
Yellow H.I. sheeting 2-way	\$369.25

dquide Plastic Barrier Markers



Produced using specially formulated high impact polymer that provides exceptional flexibility increasing impact resistance, molded to bend on impact & return to original shape. Larger molded hole to allow more adhesive

to flow through to increase the bond between marker & barrier, facilitating ease of installation. All sheeting complies with ASTM 4956.01.

3"x4" w/3"x4" sheeting 2-way: Cases of 300

White or Yellow w/H.I. sheeting 2-way White or Yellow w/D.G. sheeting 2-way

Temporary Overlay Markers

Most effective and convenient product on the market to provide short-term pavement markings that work effectively in both day and night. Case of 500 markers



Temporary Overlay Marker

1-way white w/Butyl \$406.75 \$406.75 1-way yellow w/Butyl 2-way white w/Butyl \$427.75 \$430.00 2-way yellow w/Butyl

Temporary Chip Seal Marker

1-way white w/Butyl \$420.25 \$420.25 1-way yellow w/Butyl 2-way white w/Butyl \$458.25 2-way yellow w/Butyl \$458.25

Reflectors for hazards near roads drawing attention to wooded areas or drop offs. Measuring 18" x 18" with 9, 3" plastic buttons on .080 aluminum baked enamel. Available in Amber, Red and Red



Epoxy Resin - 2 Gallon Ki

Pega-Bond 9509 Epoxy Resin for delineator installation. Please follow detailed directions.



1 gallon part A & 1 gallon part B needs to be mixed together. Will affix 200 Pathfinder markers.

\$711.50

\$1,105.75

525013: 2 Gallon Kit \$240.95

Guardflex Guard Rail Delineator


Provides exceptional visibility on roadways where vision is restricted. Produced using specially formulated high-impact polymer that provides exceptional flexibility, increasing impact resistance. Molded holes are provided for ease of installation. Each marker can utilize up to 24 square inches of reflective sheeting per side, providing motorists with safer nighttime driving conditions. Can be mounted to wooden or steel guard rail posts that place the top of the flexible delineator at 33" above the roadway.



4"x6" sheeting - Cases of 50

White with H.I. sheeting \$154.50 Yellow with H.I. sheeting \$154.50 White with D.G. sheeting \$207.00 Yellow with D.G. sheeting \$207.00

Temporary Overlay Marker



\$40.00

TPM has been designed for use in construction zones in conjunction with or in place of temporary tape or paint. The Glossy amber or white housing offers high visibility day or night. Its 1.6 square inches of reflective area on each side makes it the most reflective temporary pavement marker in today's marketplace.

EASILY INSTALLED AND REMOVED Use bituminous adhesive or butyl pad with primer for proper installation. Lift with edge of shovel for removal. Contact manufacturer for proper installation instructions .


#TPM: Amber Two-Wav #TPM:Crvstal Two-Wav Box of 100 \$160.25 Box of 100 \$160.25

18"-36" Orange Cones w/ Black Base

One of the most durable cones on the market today. Meets MUTCD specifications & assures maximum day & night vision. Brilliant fluorescent orange color attracts immediate attention.

#518-1: 18" No Reflective Collar, 3# base **\$7.50 #518-2:** 18" w/1 Reflective Collar, 3# base **\$10.50 #528-1:** 28" No Reflective Collar, 7# base **\$12.00 #528-2:** 28" w/2 Reflective Collars, 7# base **\$15.00 #536-1:** 36" Orange No Collar, 10# base **\$17.50**

#536-2: 36" Orange w/Collars, 10# base **\$20.00**



18"-28" Lime Green Cones w/ Black Base

Meets MUTCD specifications.

#JB2RS45015CLIME:

18" Lime No Collar, 3# base

#JB2RS45015CL3M6:

18" Lime w/Collar, 3# base

#JB2RS70032CLIME:

28" Lime No Collar, 7# base

#JB270032CLM3M64:

28" Lime w/Collar, 7# base



Double & Single Collar Orange Traffic Cones

All vinyl construction assures durability and flexibility in all weather conditions. Long lasting brilliant fluorescent color provides high visibility protection. Ultraviolet stabilized color provides maximum resistance to fading. High density base creates low center of gravity for maximum stability. Engineered to meet MUTCD specifications. Custom Stenciling available upon request (minimum 50 pieces).

#0660: 6" cone No Collar **#512-1:** 12" cone No Collar

#1850-00-M: 18" cone w/6" collar

#2850-07-MM: 28" cone w/4" & 6" collars

#3650-10-M: 36" cone w/6" collar **#3650-10-MM:** 36" cone w/4"& 6" collars

Case of 25 \$106.25

Single Cone \$5.00 ea.

Case of 20 \$253.00

Case of 8 \$170.00

Case of 4 \$92.00 Case of 4 \$103.00



Colored Traffic Cones - 12" to 36" - Orange, Blue, Lime, White & Yellow



Used for parking lots, and general areas needing control. Also great for kids sporting events. Long Lasting brilliant fluorescent color provides high visibility protection. Ultraviolet stabilized color provides maximum resistance to fading. High density base creates low center of gravity for maximum stability. Engineered to meet MUTCD specifications.

#1850-00-0: 18" Traffic Cone - Blue, Lime, Yellow, White

#1850-00: 18" Traffic Cone - Orange

#2850-07-0: 28" Traffic Cone - Blue, Lime, Yellow, White

#2850-07: 28" Traffic Cone - Orange **#3650-10**: 36" Traffic Cone - Orange

(Case of 20) \$212.00 (Case of 20) \$175.00 (Case of 8) \$145.00

(Case of 8) \$124.00 (Case of 4) \$85.00

Stenciling available upon request (minimum 50 pieces). Call for quantity pricing.

28" Orange Traffic Cone (10 lbs.)

Sold in carton of 5 cones. They feature a softer base and very competitive pricing. Meets MUTCD specifications and assure maximum day and night vision. Marks hazards, directs traffic, indicates special routes. Brilliant fluorescent orange color attracts immediate attention. **10 pound base.**

#528-5: 28" No Reflective Collar, 10 lbs. **\$14.75 #528-7:** 28" 2 Reflective Collars, 10 lbs. **\$19.75**



EZ-Stor Road Cones 5 Pack

Meet MUTCD Standards as well as the new NFPA standards. Each Lime Green cone is 28" high with a 4" & 6' reflective stripe. Cones have a 5 cluster LED light module in the bottom of the cone and a LED light on the top of the cones that

can be detached & stored in the base of the cone. Lights operate on 2 "AA" batteries. These are a must for anyone who values their storage space but also values safety. Case size 13" x 13" x 13".

#EZSTOR5: ORANGE \$150.00 #EZSTOR5L: LIME \$170.00

ust reduced the second of the



Retractable Cone Bar - Choose Color

Cone bars form an instant barrier. Highly portable and versatile. Expand and retract from 4ft. to 7ft. Completely reusable instant barrier. Less than 5 lbs., easily transported. Highly reflective at night. CONES SOLD SEPARATELY.

Choose Color

#550-WO: Orange & White striped **#550-BKY:** Black & Yellow striped

\$16.95 \$16.95

LED Traffic Cone Toppers



These traffic cone topper lights can be used on any traffic cone. 3 modes of operation, Steady-Flash-Hyper-Flash, Operates on 3 "AA" batteries, Can be used as a traffic baton, 15" high X 3" wide on top, Reflective collars, Gives Standard Traffic Cones extra visibility, therefore increasing safety.

#3900: BLUE \$14.95 #3900: RED \$14.95

UniLAMP™ - 6 Volt 360°



Features a 360°, computer designed high clarity polycarbonate lens. Attaches to the top of traffic cones! Two versions: flashing and flashing with photocell. The yellow case is made of high impact polyethelene. Integrated cone mounting bracket. Powered by a 6 volt battery (not included). Available with amber or red lens.

#UCW: AMBER LENS \$16.50 **#UCW**: RED LENS \$18.00

Traffic Cone Signs - Choose Legend

Supplemental standard warnings and directions that create a safer work environment, and have been shown by the Federal Highway Administration to improve safety and reduce liability. Specially cut groves allow the signs to install




in seconds and lock firmly in place. All weather UV resistant construction maintains their high-visibility color. Can also be used on traffic barrels and traffic delineators.

Available Legends include:

SLOW | STOP | MEN WORKING | NO PARKING | RIGHT ARROW | LEFT ARROW | BLANK

#17729: CHOOSE LEGEND - 13"W x 11"H \$9.95

T-Cap / Traffic Control Assist Product



The T-CAP traffic control assist product, lengthens the span between cones allowing the use of fewer cones. Using the T-CAP in conjunction with the cone is a time saving, cost effective way to ensure safety in a designated area.

Sold in Boxes of 25 Caps #T-CAP: \$191.00

Retractable Cone Topper w/10ft Belt



The perfect sign to place on top of your traffic cone. These traffic cone toppers are solid injection molded, polypropylene material, fit any standard traffic cone, are easy to install, no tools needed, are solvent, corrosion, and chemical resistant, are graffiti resistant, will not rust, have zero profile, and are UV rated 2-3 years indoor & outdoor durability. 10' Red/ White Belt.

#551: \$25.95

Heavy Duty Cone Holders



Our heavy duty coneholder is made of zinc plated steel to withstand years of rugged use. It bolts securely to work vehicles and holds 18" and 28" or 36" traffic cones, vertical mount. CH155 for 18" & 28 Cones is 22"H and holds 10 - 18" or 5 - 28" cones. Choose from 18" and 28" or 36" Cone size.

#CH155: For 18" & 28" cones **\$15.25 #CH300:** For 36" cones **\$32.75**



Econocade® II Traffic Barrels

Econocade® II Barrel is shorter in height from the original, making it lightweight and easier to transport. Tire Locking Ring™ - Texturized Locking Ring™ grips tire, giving you security on the job. Stack more at 36.77" high, making you more productive. Comfort grip handle for secure, easy pick-up, innovative "light ledge" keeps light upright. Accepts tire ring & many rubber bases. Thick walls make this drum rugged and durable. Five tier design to maximize reflective sheeting, available in low or high density polyethylene.

Bases Sold Separately

#452: NO SHEETING, High Density Barrel	\$22.00
#452: NO SHEETING, Low Density Barrel	\$22.00
#452-HD-44EG: 4-4" Engineer Grade Sheeting, High Density Barrel	\$32.50
#452-HD-44HI: 4-4" High Intensity Grade Sheeting, High Density Barrel	\$46.00
#452-HD-44DG: 4-6" Diamond Grade Sheeting, High Density Barrel	\$65.00

NCHRP-350 Accepted, Meets MUTCD Standards. Dimensions: 36.77"H x 22.94"W (40.02"H with handle) Weight: 8 lbs. Made in the USA

Recycled Barrel Tire Rings - Inside diameter is 22.5"

Tire Rings - Inside diameter is 22.5". Made from recycled tires. Weight 24 lbs. Must ship Truck only.

#4500: 22.5" DIAMETER - RECYCLED RUBBER
#4500: 22.5" DIAMETER - RECYCLED RUBBER
#4500: 22.5" DIAMETER - RECYCLED RUBBER

25 for \$4.75 each



CrashGard Sand Barrel

Certified: To ensure effective performance and compliance, we tested CrashGard Sand Barrel System to NCHRP-350 Tests 3-40 through 3-44, at Test Level 3. CrashGard passed all applicable tests and is certified to 62 MPH (100 kph). FHWA has issued Acceptance Letters CC-97 and CC-97A for the CrashGard Sand Barrel System: CC-97: Approved for use as an NCHRP-350 Test Level 3 device. CC-97-A: Approved for use in mixed arrays. CrashGard Sand Barrel System is designed for use in posted speed limits from 25-70 MPH. (Contact us for other speeds.) Durable: CrashGard is blow-molded from high molecular, high density polyethylene plastic (HLMI/HDPE) that produces a stronger sand barrel. UV stabilizers maximize product life. Color-stable pigments resist fading. CrashGard withstands minor impacts during routine handling: filling or dumping sand loading or unloading a truck nesting for storage and transport. CrashGard Sand Barrel System is Universal: 1 CrashGard Sand Barrel accommodates all weight requirements: with insert: 200, 400 or 700 lbs. without insert: 1,400 or 2,100 lbs. 1 barrel eliminates the need to stock different sizes of barrels. 1 barrel reduces inventory costs and confusion.

#CC-48L: CrashGard Sand Barrel w/Lid #CC-48128L: CrashGard Sand Barrel w/Lid & Insert



CALL FOR SHIPPING QUOTE
CALL FOR SHIPPING QUOTE



QUANTITY PRICING AVAILABLE ON ALL ITEMS

\$255.00

\$275.00

Plastic Barriers



Water Filled Barriers

Our portable barrier is a specialty barricade that is superior in strength & quality to the competition. The barrier is designed & built in 2 different sizes and can be used in a variety of security applications. Structurally sound with drain plugs and pre-molded attachment area for flashing lights. If your needs

are force protection, physical security, crowd control, this barrier is for you. Lightweight, made of recyclable material & extremely easy to transport making for quick deployment and recovery. The use of heavy equipment is not necessary for installation or relocation. When positioned and filled with either water or sand the barrier can act as a protective wall or prefabricated revetment wall. While filled with either ballast our barrier will not bulge or distort like other portable barricades. Ships by truck only.

#4206-SO-100: Dimensions: 42" H x 72" L x 24"W, wall thickness .25" **\$339.50**

#4208SO-150: Dimensions: 42" H x 96" L x 24"W. wall thickness .25" \$4

\$459.95

42"H x 72"l

Safety Barricade & All Purpose-Airport Barricade/Low Profile

UV resistant polyethylene. Screw-on fill caps and lids. Compatible with square bolt-on or round screw-in lights. Easily relocated. Impact resistant. Allows for application flexibility UV and long-term fade resistant. Withstands harsh treatment during installation and relocation. Ballastable with water or sand. Pre-molded attachment areas for lights and flags. Long lasting visual appeal. Composed of recyclable material. Deployable by one or two people. Quick installation and removal. No heavy equipment needed. Uniform wall thickness with thicker corners and edges. Inquire about other colors. Ships by truck only.

#3206 70 lbs. Empty 50 lbs. Empty

#2408: 24"H x 96"L x 16"W **\$195.00 #3206**: 32"H x 72"L x 18"W **\$269.75**



Stackable Barrier & Airport Barrier

Lightweight, durable, drain plugs, variety of colors. Screw-on fill caps & lids. Compatible with square bolt-on or round screw-in lights. Easily relocated, impact resistant. UV & long-term fade resistant. Ballastable with water or sand, pre-molded attachment areas for lights & flags. Deployable by one or two people. Quick installation & removal No heavy equipment needed. Uniform wall thickness with thicker corners and edges. Ships by truck only.

#3204: 32"H x 48"L x 16"W **\$189.75**

Airport Barrier

Structurally sound, lightweight & durable. 25 lbs. 10"H x 96"L x 10"W. Screw-on fill caps and lids Compatible with square bolt-on or round screw-in lights Easily relocated. Impact resistant, allows for application flexibility UV and long-term fade resistant. Ballastable with water or sand. Pre-molded attachment areas for lights and flags. Long lasting visual appeal. Composed of recyclable material Deployable by one or two people. Quick installation and removal. No heavy equipment needed. Ships by truck only.

#1008SO-: Plain NO SHEETING, 10"H x 96"L x 10"W **\$119.50 #1008SO-:** With High Intensity Prismatic Sheeting, 10"H x 96"L x 10"W **\$157.00**



Water Filled Swivel Pin Linking Barriers



The Model #ATM-590 water barrier (water wall, plastic jersey barrier) is a plastic barrier constructed of high density polyethylene. The ATM-590 is a channelizing device that can be filled with sand or water to increase weight. A state of the art swivel pin is used to link the barrier together. It is the only unit made that does NOT require end pieces or "different" units to attain radii & can be angled at 90°! Length 60"; Height 36"; Top Width 7 5/8"; Base Width 24"; Weight Empty 50 lbs.; Weight Filled 683 lbs. Can conform to any road way design. No heavy machinery needed to install. Can be picked up by forklift. 590 Custom Colors Available. No returns on Custom orders. Ships by truck only.

#ATM590: 60"L x 36"H x 24"D - Choose Orange or White \$269.00

Guardian™ 85 Plastic Barrier



Used for Parking and Traffic applications. Excellent for rapid deployment & protection. This lightweight barrier complies with the restriction of 150 pounds per linear foot mandated for multi-level parking structures. Allow 3 weeks for delivery.

Measuring 32"H x 72"L x 18"W in Orange. 85lbs weight.

#P600013218: \$315.00

Guardian™ 100 Plastic Barrier



Heavy duty, traffic control barrier. Safety & protection. Portable and lightweight when empty and well fortified when ballasted with sand or water, this barrier is perfect for construction zones & traffic control. Allow 3 weeks for delivery.

Measuring 42"H x 72"L x 24"W 100lbs Water filled to 1350 lbs. Sand filled to 2700 lbs.

#P6000142L: \$345.00

Guardian™ 170 Plastic Barrier



Heavy duty, traffic control barrier. Lightweight and portable, designed for multiple applications. This barrier is primarily used for fixed asset security and pedestrian control, or to channelize or deliniate vehicles. Selected by FEMA for emergency erosion control and is the choice of the Department of Defense. Measuring 42"H x 72"L x 24"W 170lbs weight. Water filled to 1700lbs capacity. Sand filled to 3400 lbs. Allow 3 weeks for delivery Optional Corner piece 42" x 24" 60lbs.

#P6000142: \$535.00 optional corner piece \$185.00

Stackable Poly Barricades



Material thickness is 0.150", Empty weight is 45 lbs., Colors are consistent with ANSI Z535. Move multiple units with a fork truck. Manufactured of virgin polyethylene material with UV stabilizer. Overall size is 76-1/2"L x 16"W x 36"H (Effective connected length is 72"). Hollow base may be filled with 5.4 gallons of water for added weight (~45 Lb.) Not for highway use.

#BCD-7636:

Blue, Orange, Red, White or Yellow \$259.00

Concrete Traffic & Safety Barriers



Concrete Security/Traffic Barrier with Forklift Knockouts. Specifically designed for heavy-duty military and commercial use. Constructed with 5,000 PSI concrete for the highest in strength. Designed for lasting durability with reinforced welded rebar cages. (Please call to inquire about color options.)

#LB-48: 48"L x 24"W x 32"H 750 lbs. \$279.00

#LB-48-V: 48"L x 24"W x 32"H 600 lbs. \$389.00

#BC-48: 48"L x 24"W x 35"H 1225 lbs. \$339.00

#B-48: 48"L x 24"W x 36"H, 1600 lbs \$439.00

#B-96: 96"L x 24"W x 36"H, 3150 lbs \$699.00

Call for truck freight estimate.







Radar Speed Control Sign - 12" Display

- Radar Speed Feedback Sign is modeled on the Speed Limit sign and made for pole mounting to calm traffic.
- 12" LED High Intensity Display gets attention of oncoming drivers.
- Pole not included.
- Can be directly wired to A/C electric service or optionally powered by a solar panel power system.
- Standard flashing digit Violator Alert.
- Rear access panel to critical components.
- "Your Speed" sign included (MUTCD R2-1 profile).
- Keyed ON/OFF switch.
- Appropriate for slower speeds (sub 35 MPH), readable to 750 feet.

#RU2FAST275: 32.5"H x 26"W x 4"D \$3,150.00



Radar Speed Control Sign - 18" Displav

- Radar Speed Feedback Sign is modeled on the Speed Limit sign and made for pole mounting to calm traffic.
- 18" LED High Intensity Display (appropriate for higher speeds 40 MPH+).
- "Your Speed" sign included (MUTCD compliant)
- · Weight 53 lbs. Includes mounting hardware.
- · Pole not included.
- 12 VDC operation or 100-277 VAC, 50/60 HZ input.
- Keyed ON/OFF switch. Single cycle 24 hour ON/OFF clock.
- GE Lexan shielding with a smoked, non-glare finish.

#RU2FAST350: 34.5"H x 40"W x 4"D \$3,295,00



Radar Speed Control Dollv - 12"

- Radar Speed Control Dolly for use in school zones with crosswalks and parking lots.
- 12" Amber LED Display.
- One 35 A/Hr AGM battery
- Single Cycle ON/OFF clock.
- Weight 130 lbs, 5' High.
- 1" square steel tubing frame.
- 18"x24" speed limit sign with digit overlays for 10-35MPH.

#RU2FAST500: 27"H x 4'9"W x 24"D \$3,895.00



Radar Speed Control Trailer - 12" Display

- Construction: 2" round, 087 wall tubular steel frame
- (3) Stabilizer jacks with a 750 lb capacity each. Capable of raising the trailer up to 8" from normal height
- DOT regulation lights (including side markers, cut out style, with flat 4-pin connector)
- Length 78", Width 53"; Height: deployed 76", in tow 48"
- 2" Class II ball coupler Tongue Weight: ~27 lbs. (Single battery config.)
- 2000 lb. rated axle & Leaf spring suspension Curb Weight: 310 lbs. (Single battery config.)
- Five (5) year warranty on display electronics & radar
- 1 x 12VDC group 24deep cycle marine battery 84 Hrs (7-10 days service) mounted in marine battery box
- Charger 6A internal marine grade floating charger
- Timer Single cycle 24 Hour ON/OFF timer

#RU2FAST650: \$5,195.00



8U2 Fast 870 Radar Speed Trailer

- Radar Speed trailer with an 18" Display.
- . Stands over 8' tall.
- The speed radar sign folds down creating a low trailer profile for easy transport and storage.
- Standard features include high & low speed blanking, flashing digit violator alert and traffic management arrows.
- Optional features on our speed signs include our violator alert system (a flashing strip of red and blue LED's and/or the distinct "SLOW DOWN" message in red LED's) when approaching vehicles do not slow to the selected speed.
- Display protected by 3/16" GE Lexan® with a smoked, non-glare finish automatic intensity adjustment to ambient light conditions.
- 2" round tubular steel Space-Frame chassis Polyester powder coat finish.
- · Curb weight 580 lbs.

#RU2FAST870: \$7,495.00

Allow 30 days after receipt of order on these radar items.

Rubber Car Stop Black/Yellow Stripe



Tough, recycled tire rubber, resistant to weather, salt, moisture, UV, oil, & temperature unlike concrete or plastic. Will not warp, chip, or crack. Easy installation for asphalt or concrete. High visibility at night. Used for temporary or permanent installation. Lowest prices on the internet - in stock for immediate delivery. Dimensions: 72"L x 6"W 4 1/4"H.

#ST-6Y: 34 lbs. **\$35.00 #ST-6Y:** w/Hardware **\$45.00**

Rubber Speed Bump Black/Yellow Stripe



Tough, recycled rubber is resistant to weather, salt, moisture, UV, oil, & temperature. Will not warp, chip, or crack. Easy installation. Molded-in stripes of yellow road marking tape for visibility. Conforms to surface contour. Bottom channels for drainage. Designed for up to 15 mph. Removable, total length with end caps is 7 ft., 70 lbs without hardware or end caps. All pieces can be bought separately.

#SB72: w/end caps & hardware \$156.00

Speed Hump



Ideally used near schools or where there's pedestrian traffic. Made from 100% recycled rubber. Easy, one person installation. Virgin rubber overlay with molded-in yellow road marking tape stripes.

Hardware sold separately. Middle piece 35" x 24"L x 2.25"H End pieces 35"W x 17.5"L x 2.25H

#SH: Middle piece \$79.00 **#SH:** Set of end caps \$98.00

Traffic Guard Portable Speed Bump



On demand speed bump, deploy only when needed. Eliminates maintenance problems permanent speed bumps have. No problems for street crews removing snow. Sectioned & hinged so it conforms to uneven surfaces. Comes with a soft, zippered carry bag with handles. Used by emergency responders, fire departments, utilities, etc.

#SBM3A: 10' **\$500.00 #SBM4A**: 20' **\$1,099.00**

6' Rubber Speed Bump Black/Yellow Stripes



6' Rubber Speed Bump Black with Yellow Stripes & Cat Eye Reflectors. Two 1" diameter channels allow for cabling & facilitates draining. Conforms to pavements, 4 Pre-drilled holes, Installation hardware is included, Wedge Anchors, Recycled Rubber. 5 Year Warranty. Middle Piece 6' x 12" W x 2" H, 55 lbs. Endcaps Black 6" x 12" x 2"

#RSB6: \$169.00

Includes Hardware

8' Deluxe Yellow Truck Block



Made from 100% recycled material, superior strength and durability, 20% the weight of conventional concrete blocks, easily installed. Innoplast's LDPE parking blocks are virtually maintenance free and never need to be painted, won't chip, crack or deteriorate from weather or road salts. Installation is simple with predrilled holes to use as guidance with the provided hardware. Available in yellow, white, blue, black, or gray. Custom colors are also available with a minimum order.

#TBD8: 8'L x 10" W x 7" H **\$268.00**

6' Plastic Parking Block Standard



Our 6' solid plastic parking blocks are made from 100% recycled material. They offer superior strength and durability at 20% the weight of conventional concrete blocks. Accessories: Lag bolts (concrete application) or spikes (asphalt application) are included. Warranty: 5-year warranty against manufacture defects

Dimensions: 6'L x 6"W x 4"H, 30lbs Colors: Black, blue, gray, white, yellow

#PBS6: \$75.50

Plastic Speed Bump-Cable Guard



High visibility bumps are engineered at the perfect angle. They also act as a dual channel cable protector. Non-skid surface & are weather & chemical resistant. HDPE construction eliminates the need to repaint bumps.

Includes anchor kit & asphalt adhesive. 10"W x 72"L x 2"H

#179: 6' Long **\$105.00 #179:** 9' Long **\$149.00**

Speed control, Parking Blocks & Hose/Curb Ramps

Plastic Parking Stops - 6 FEET WIDE




- Designed with safety and durability in mind, eliminate the need for seasonal painting. Flexible enough to fit parking lot contours, yet rigid enough to withstand repeated abuse from cars and trucks.
- Constructed with high density polyethylene for weather, UV, and chemical resistance
- Will not chip, fade or crack.
- 50 Parking stops to a pallet
- Dimensions: 8"W x 4"H x 72"L, 15 lbs., Anchor Kit included.
- Made in the USA.



#1790: Choose blue, grey, yellow or black with yellow stripes

\$70.00



This parking block is made of an injection molded polypropylene skin filled with expanded polypropylene beads. The result is a 6 lbs. parking block that is easy for one person to install, but durable enough to withstand extreme temperatures and every day wear and tear. Because of the lightweight design, it can ship in a box individually or a truckload.

- Solid plastic block requires no painting or maintenance
- Dimension: 72" x 6" x 5.25"
- · Only weighs 6 lbs. Standard
- Heat and cold tested will not buckle or break

#PARKINGBLK: Choose gray, blue or yellow

\$55.00

Rubber Speed Bump Black with Yellow Stripes



Place in strategic locations on the street, in parking lots, around schools or anywhere traffic calming is necessary. It slows traffic effectively without tire or vehicle damage. Temporary or permanent installation on concrete or asphalt.

- Lightweight and flexible, it conforms to contours of road surface.
- Withstand over 2,000 psi pressure.
- Easily transported & fast installation no need for heavy equipment. Mastic or anchor pins available (Sold Separately)
- These heavy duty products are backed by a 2 year warranty

#VR-206-9: END CAP - 24W x 8L x 1.75H, mastic or anchor pins sold separately \$29.00 #VR-206-9: MIDDLE PIECE - 24W x 19L x 1.75H, mastic or anchor pins sold separately \$49.00

Channel Cableguards



- Channel: 2"W x 2" H; Overall: 37"L x 19"W; Weight: 28.50 lbs; Load Bearing Capacity: 12,250 lbs per tire
- Polyurethane is not biodegradable, has stronger abrasion and corrosion resistance, higher load bearing capacity,
- Maintenance Easily cleaned and abrasion resistant to the elements
- Surface Pattern Ultimate slip resistant pattern to minimize slips and falls
- Connectors Ultra strong connection points with easy & safe configuration Safety Colors - Black base and orange lid making products easily noticeable by pedestrians and drivers Compliant - Dully Compliant with NEC, OSHA, REACH, and RoHS

#MG3200: \$289.00

Curb / Hose Ramp - 3 SIZES



Construction companies love this product for maintaining access to driveways and businesses during milling operations or anytime access over stone curbs is necessary. Eliminates the need for cold patch or stone and saves time and money due to material costs and labor needed to place and remove loose materials. Ramps are reusable, easily stacked and transportable. Protect "in traffic" hose and electrical conduit runs with this effective, durable, long lasting product. Use to provide temporary or permanent hose and conduit runs from traffic. Also used to provide temporary ramp into driveways during construction along curbs. Lightweight and flexible, it conforms to contours of road surface. Economical and built to last, ENVIROform hose ramps withstand over 2,000 psi pressure. Great for fire hose applications.

#BHR: 36" x 12" x 2.5", 24 lbs. \$55.00 | #BHR: 36" x 18" x 3.5", 42 lbs. \$80.00 | #BHR: 36" x 24" x 5", 70 lbs. \$120.00

Single Tunnel System - Hose Bridge for up to 3" lines



- · Polyurethane construction is abrasion, impact and weather resistant with high load-bearing capacity
- Diamond-plate tread surface increases traction
- · Yellow caution color for high visibility
- Modular interlocking design is lightweight, easy to transport, setup, disassemble, and store
- · Built-in hand holds allow for handling with ease and double as attachment points for mounting brackets
- WARNING: Vehicles crossing bridge system must have clearance of greater than bridge height
- WARNING: Hose Bridges are for rubber tired vehicles only (not for equipment with metal tracks)

#UHB2025: Hose Bridge for up to 3" lines

\$345.00

Wheel Chocks



Military Wheel Chock - Double Sided - OSHA, DOT applicable wheel chocks for a variety of over the road uses. Suitable for various vehicles including, but not limited to: delivery service fleets, campers, boat trailers, small aircraft, recreational vehicles, as well as military ground equipment. Designed for downward pressure helps lock chock in place. Non-spark / nylon or hemp rope if applicable. Impervious to road salts. Eye bolt for optional chain, rope, or cable attachment to ground vehicles.

#MWC: Measuring 14"L x 5.5"W x 3.5"H **\$20.00** Measuring 18"L x 9"W x 5.5"H **\$52.00**

Rubber Wheel Chock With Solid Bottom - Standard of the utility industry, durable recycled rubber construction, resistant to the elements, steel loop carrying handle, fits most chock storage compartments, allows either side to be positioned against the tire.

#RC450-S: 10" L x 8" W x 6.5" H with Solid Bottom \$26.50

Airline Wheel Chock - Constructed of reinforced rubber to provide a sure grip on virtually any surface. Rubber resists tearing, abrasion, ozone weathering, etc. Functional design is durable in all weather conditions. Suitable for small & large aircraft. Includes a 36" polypropylene rope with handle and reflectors connected to chocks.

#AC-18: 10"W x 4-1/2"H x 5"D \$95.75

Rubber Pyramid Wheel Chock (Black) - For heavy trucks, trailers, and road construction equipment. Roadblocks 915 Series Rubber Wheel Chocks are ideal for keeping trucks, trailers, and road construction equipment in place. They are strong, safe and resistant to damage from UV, moisture, salt and oils. Their traction design grips tire and road and will not cause tire or pavement damage. The chock design also allows either side to be positioned against tire.

#RC915: 11.5"Lx10"Wx7.25"H, 15 lbs **\$50.00**

Ozchock 105 Wheel Chock for Mining Heavy Duty Plastic Wheel Choks are available in a standard color of yellow with other colors available on request. Traction pads are essential to the safe usage of our chok range and are available. Designed to fit a wide range of tyre sizes.

#0ZCH105: 15 11/16"W x 22 1/16"L x 11"H Weight: 35.3 lbs \$286.50

Heavy Duty Wheel Chock - OSHA, DOT applicable wheel chocks for a variety of over the road uses. Designed for downward pressure helps lock chock in place. Non-spark / nylon or hemp rope if applicable. Impervious to road salts. Eye bolt for optional chain, rope, or cable attachment to ground vehicles. Best Uses: WCR-7 for semis, dump & rush, tow trucks. WCR-9 for pick ups, RV's and utility vehicles up to a 16.5" wheels.

#WCR: Black or Yellow - 9"L x 8"W x 6"H Ribbed Both Sides (Other sizes & options available - call to inquire) \$25.00

Heavy Duty Wheel Chock 15"L - Light weight with tough urethane construction, For tire diameter 46"-65". Recessed carrying handle on the backside of the chock, replaceable rubber anti-slip traction pads, Mounting hole for ropes, chains or brackets. Good mining equipment.

#MC3009: Measuring 15" L x 15.1" W x 11" H - Weighs 15 lbs. - Yellow \$213.50

Heavy Duty Wheel Chock 26.5"L - Lighter weight with tough urethane construction. Recessed carrying handle on the backside of the chock. Replaceable rubber anti-slip traction pads. Mounting hole for ropes, chains or brackets.

#MC3011: Measuring 26.5" L x 14.5" W x 16" H - Weighs 32 lbs. - Yellow \$425.00

Roadblocks 2512 Series All-Terrain Urethane Wheel Chocks are specifically designed for use on fire equipment. They comply with NFPA 1901-09 and meet SAE-J348 standard for up to 32 inch wheel diameters. Tough, damage resistant polyurethane chocks are resistant to oils, fuels & solvents. They also feature high strength aluminum base plates with posi-grip traction cleats or anti-slip rubber traction pads. Has molded carrying handle & safety colors for easy identification.

#AT2512-RP-Y: 15.5"L x 8.5"W x 8.25"H **\$162.50**

Aluminum Signs



































































#R10-7

Aluminum Signs

Our .080" aluminum signs, have pre-punched 3/8" mounting holes for easy installation, radius corners, meets MUTCD specifications, durable aluminum will not rust. 3M reflective sheeting, designated for years of outdoor use, can be installed onto a post, fence or wall.

#R1-1: STOP SIGN

#R1-2: YIELD SIGN

Starting at \$17.95

Sizes 18", 24", 30", or 36"; Engineer Grade or High Intensity Sheeting

Sizes 30", or 36"; Engineer Grade or High Intensity Sheeting

Starting at \$24.50

#R5-9: WRONG WAY SIGN Starting at \$29.50

Sizes 18"x30" or 24"x36"; Engineer Grade or High Intensity Sheeting

#R5-1: DO NOT ENTER SIGN Starting at \$29.50

Sizes 24" or 30"; Engineer Grade or High Intensity Sheeting

#R8-3S: NO PARKING SIGN Starting at \$10.50

Sizes 12" or 24"; Engineer Grade or High Intensity Sheeting

#R11-5: LOCAL TRAFFIC ONLY SIGN Starting at \$29.50

Sizes 24"; Engineer Grade or High Intensity Sheeting

#R5-1A: DO NOT ENTER SIGN Starting at \$29.50

Sizes 24"; Engineer Grade or High Intensity Sheeting

#R3-4S: NO "U" TURN SIGN Starting at \$29.50

Sizes 24"; Engineer Grade or High Intensity Sheeting

#R3-1A: NO RIGHT TURN SIGN Starting at \$23.00

Sizes 18"x24"; Engineer Grade or High Intensity Sheeting

#R3-2A: NO LEFT TURN SIGN Starting at \$23.00

Sizes 18"x24"; Engineer Grade or High Intensity Sheeting

#R5-805: RIGHT TURN ONLY SIGN Starting at \$23.00

Sizes 18"x24"; Engineer Grade or High Intensity Sheeting

#R5-804: LEFT TURN ONLY SIGN Starting at \$23.00

Sizes 18"x24"; Engineer Grade or High Intensity Sheeting

#R6-2R: ONE WAY SIGN - Right Arrow Starting at \$23.00

Sizes 18"x24"; Engineer Grade or High Intensity Sheeting

#R6-2L: ONE WAY SIGN - Left Arrow Starting at \$23.00

Sizes 18"x24"; Engineer Grade or High Intensity Sheeting

#R-63: ONE WAY DO NOT ENTER SIGN Starting at \$23.00

Sizes 18"x24"; Engineer Grade or High Intensity Sheeting

#R11-2: ROAD CLOSED SIGN Starting at \$67.50

Sizes 48"x30"; Engineer Grade or High Intensity Sheeting

#R10-7: DO NOT BLOCK INTERSECTION Starting at \$33.75

Sizes 24"x30"; Engineer Grade or High Intensity Sheeting

#R2-5C: SPEED ZONE AHEAD SIGN Starting at \$33.75

Sizes 24"x30"; Engineer Grade or High Intensity Sheeting

Additional signs available please call us.

Aluminum Signs





























#G-27RA5













#R-103RA5

Starting at \$45.00









Starting at \$12.50



#W21-1: Men Working Sign

Aluminum Signs

Our .080" aluminum signs, have pre-punched 3/8" mounting holes for easy installation, radius corners, meets MUTCD specifications, durable aluminum will not rust. 3M reflective sheeting, designated for years of outdoor use, can be installed onto a post, fence or wall.

#W20-10: Road Closed Construction	Starting at \$45.00
Sizes 30", 36" or 48"; Choose Distance; E.G. or H.I.	Sheeting

#W20-1: Road Construction SignSizes 30", 36" or 48"; Choose Distance; E.G. or H.I. Sheeting

#W23-: Utility Work Ahead SignSizes 30", 36" or 48"; Engineer Grade or High Intensity Sheeting

#W20-7S: Flagger Symbol SignSizes 30", 36" or 48"; Engineer Grade or High Intensity Sheeting

Sizes 30", 36" or 48"; Engineer Grade or High Intensity Sheeting

#W-: Road Work Ahead Sign
Sizes 30", 36" or 48"; Engineer Grade or High Intensity Sheeting

#W3-: Be Prepared To Stop Sign

Starting at \$45.00

Sizes 30", 36" or 48"; Engineer Grade or High Intensity Sheeting

#M4: Detour Sign 30" x 24"

Starting at \$39.00

Sizes 30"x24"; Choose Left or Right Arrow; E.G. or H.I. Sheeting

#M4-: Detour Sign 48" x 18"Starting at \$58.00
Sizes 48"x18"; Choose Left or Right Arrow; E.G. or H.I. Sheeting

#G20: End Road Work SignSizes 36"x18"; Engineer Grade or High Intensity Sheeting

#W10: Railroad Crossing Symbol SignSizes 30" or 36"; Engineer Grade or High Intensity Sheeting

#W-34: Pedestrian Crossing SignSizes 24"; Engineer Grade or High Intensity Sheeting

#G-42RA5: Handicapped Parking Sign
Sizes 12"x18"; Engineer Grade Sheeting

Starting at \$12.50

#G-53RA5: Handicapped Parking Permit

Sizes 12"x18"; Engineer Grade Sheeting

#R-100RA5: No Parking Tow Away Zone
Sizes 12"x18"; Engineer Grade Sheeting

Starting at \$12.50

#R-101RA5: No Parking Symbol Sign
Sizes 12"x18"; Engineer Grade Sheeting

#R-103RA5: No Parking Loading Zone

Starting at \$12.50

Sizes 12"x18"; Engineer Grade Sheeting

#G-22RA5: Employee Parking Only Sign
Sizes 12"x18"; Engineer Grade Sheeting

Starting at \$12.50

#G-27RA5: Visitor Parking Only Sign
Sizes 12"x18"; Engineer Grade Sheeting

#G-85RA5: Parking By Permit Only Sign Starting at \$12.50 Sizes 12"x18"; Engineer Grade Sheeting

Vinyl Roll Up Signs - 36" & 48" Reflective & Non-Reflective

Traffic Sign with legend. Roll up signs offer full size signage in a lightweight and easy to store design. All roll up signs are MUTCD and NCHRP-350 compliant. Fiberglass ribs, or cross bracing, feature a protective veil to prevent blooming and painful blisters. Corner pockets are made of tough polycarbonate for durability. Hook and loop for storage and riveted center.

Available Legends: Be Prepared To Stop; Detour Ahead; Flagger Ahead; Flagger Symbol; Lane Closed Ahead; Left Lane Closed Ahead; Men Working; One Lane Road Ahead; Right Lane Closed Ahead; Right Shoulder Closed Ahead; Road Closed; Road Closed Ahead; Road Work Ahead; Shoulder Closed; Shoulder Work Ahead: Utility Work Ahead: Worker Symbol: Workers Ahead. Additional legends available.

#RUNR36-200: 36" NON-REFLECTIVE Sign \$49.00 #RUNR48-200: 48" NON-REFLECTIVE Sign \$60.00 #RUR36-200: 36" REFLECTIVE Sign \$100.00 #RUR48-200: 48" REFLECTIVE Sign \$140.00

Mesh also available, please inquire - quantity pricing available.



36" & 48" FOLD & ROLL Sign System - Orange Reflective & Non-Reflective




NCHRP 350 compatibility- crash test results available. Complies with MUTCD standards, Ultra compact storage configuration, Sets up in under 20 seconds. Utilizes kick release system for quick leg deployment. All aluminum & steel construction. Dual torsion springs - a proven wind relieving system. Features double or triple flagholder, Telescoping aluminum legs with two position height adjustment & anti-skid foot pads. Flags bought separately.

Available Legends: Be Prepared To Stop; Flagger Ahead; Flagger Symbol; Lane Closed Ahead; Left Lane Closed Ahead; Men Working; One Lane Road Ahead; Right Lane Closed Ahead; Road Closed Ahead; Road Work Ahead; Shoulder Work Ahead; Utility Work Ahead; Worker Symbol; Workers Ahead.

Inquire for additional legends.

#DF3000X36: 36" NON-Reflective Fold & Roll Sign \$225.00 #DF3000X: 36" Reflective Fold & Roll Sign \$275.00 #DF3003X: 48" Reflective Fold & Roll Sign \$330.00 #DF3003X48: 48" NON-Reflective Fold & Roll Sign \$240.00

Reflective Roll- Up Stop/Slow Paddles - 18" & 24" Sign



Complies with MUTCD standards. Roll up design saves space & protects the sign faces. Offered in 18" & 24" reflective octagon. Comes with 3-piece plastic staff and heavy duty storage bag. Stored size: 3" x 8" x 38".

18" Sign with 6' Staff & Case	\$85.00
18" Sign with 7' Staff & Case	\$90.00
18" Sign w/Telescoping Staff & Case	\$100.00
24" Sign with 6' Staff & Case	\$100.00
24" Sign with 7' Staff & Case	\$105.00
24" Sign w/Telescoping Staff & Case	\$120.00
	18" Sign with 7' Staff & Case 18" Sign w/Telescoping Staff & Case 24" Sign with 6' Staff & Case 24" Sign with 7' Staff & Case





Tripod Sign Stand for Roll Up Signs

- The T55 Tripod is an all purpose three legged economy sign stand designed to hold 36" & 48" roll-up & rigid signs.
- Powder coated steel construction and ease of use makes the T55 a smart choice for low to medium wind conditions.
- Meets MUTCD specifications, NCHRP-350 compliant.
- Compact storage, economical, and easy to use.
- Powder coated, all steel construction.
- Open footprint: 48" x 57".

#T55: 10 lbs. **\$39.00**



Uniflex Sign Holder - Screwlock Panel Holder - Aluminum Legs

- Holds 36" & 48" rigid and roll-up signs.
- MUTCD & NCHRP-350 compliant
- UF2000W has a single upright coil spring.
- Stands feature kick releases and Screwlock™ sign holder.
- Stands display roll-up signs 12" off the ground and feature foot actuated kick releases with three locking positions for stability.
- Single heavy duty steel spring provides stability in gusty winds.
- 100" wall aircraft quality tubing, leg length 30" & telescopes to 51".

#UF2000W: 22 lbs. \$140.00



DynaLite Aluminum Roll Up Sign Stands

- Displays 36" and 48" signs using ScrewLock™ attachment.
- NCHRP 350 compatibility. Complies with MUTCD standards.
- Lightweight perfect for low wind applications. By eliminating a spring mechanism, this stand weighs 20% less than Dynaflex™ stands.
- Fast & easy deployment with the kick release system. Legs lock into position when fully extended.
- Telescoping aluminum legs with two position height adjustment and anti-skid foot pads.
- Minimum height from the ground to bottom of sign: 12"

#DL1000W: 15 lbs., 22" Telescopes to 38" **\$106.00 #DL1003W:** 17 lbs., 30" Telescopes to 51" **\$115.00**



UniFlex Roll Up Sign Stand

- Our most popular compact stand, is the perfect match for 36" or 48" roll-up signs.
- All steel construction & a heavy duty steel coil spring design providing superior stability in windy conditions.
- Displays roll-up signs 12" off the ground & features foot actuated kick releases with three locking positions for storage & stability on uneven terrain.
- NCHRP 350 compatibility. Complies with MUTCD standards.
- Displays 36" and 48" roll-up signs in several configurations.
- Minimum height from the ground to bottom of panel: 12", Open footprint: 42" x 69"

#SUF2000W: 25 lbs., 22" that telescopes to 38" **\$129.00**



TwinFlex Rigid & Roll Up Sign Stand

- NCHRP 350 compatibility. Complies with MUTCD standards.
- Wind-relieving, dual upright coil spring system withstands heavy wind gusts.
- Easy to use with fast kick release system, locking legs into place when fully extended.
 Displays 36" and 48" roll-up and rigid signs.
- All aluminum construction. Open footprint : 36" x 84"
- 1-1/4" sq. legs with two position height adjustment and anti-skid foot pads.
- Minimum height from the ground to bottom of panel: 18"

#TF18-RGRU: 33 lbs. **\$205.00**



DynaLite Steel Roll Up Sign Stand

- NCHRP 350 compatibility. Complies with MUTCD standards.
- Lightweight perfect for low wind applications. Stand weighs 20% less than Dynaflex™ stands.
- Displays 36" & 48" roll up signs using ScrewLock™ attachment. Open footprint 41" x 69".
- Fast & easy deployment with the kick release system. Legs lock into position when fully extended.
- All steel construction, telescoping legs with two position height adjustment & anti-skid foot pads.
- Minimum height from the ground to bottom of sign: 12"

#SDL1000W: 19 lbs., 22" orange, steel legs that telescope to 38" \$100.00



Dual upright

coil spring

system

LED Traffic Signs



LED Aluminum Signs - FREE SHIPPING ON THESE ITEMS

Our LED aluminum signs are constructed of heavy duty aluminum, with 3M Diamond Grade Type IX Sheeting, sealed to prevent any outside elements. Our patented technology has engineered this sign to be visible up to 2 miles away. Designed to flash 24/7. Features 1 1/4" LED bulbs.

SOLAR POWERED SIGNS

30" Stop Sign DG Sheeting Solar #30SSDNM: \$1,475.00

Sizes 30"; Solar Powered; 1 1/4" LED lights; Heavy duty aluminum

30" School Zone Sign Solar #30SSZSGM: \$1,525.00

Sizes 30"; Solar Powered; 1 1/4" LED lights; Heavy duty aluminum

24" Pedestrian Crossing Solar #24SPEDDM: \$1,425.00

Sizes 24"; Solar Powered; 1 1/4" LED lights; Heavy duty aluminum

30" Pedestrian Crossing Solar #30SPEDDM: \$1,595.00

Sizes 30"; Solar Powered; 1 1/4" LED lights; Heavy duty aluminum

Speed Limit Sign 24" x 30" Solar #2430SSLSDM: \$1,495.00

Sizes 24"x30"; Solar Powered; 1 1/4" LED lights; Heavy duty aluminum

18" Reduced Speed Ahead Sign Solar #1824SRSAH: \$1,300.00

Sizes 18"x24"; Power Type Solar Power / 12 volt - 20 watts

24" Reduced Speed Ahead Sign Solar #2430SRSADM: \$1,450.00

Sizes 24"x30"; Power Type Solar Power / 12 volt - 20 watts

Stop & Pedestrian Combo Model Solar #30SSPCH: \$2,050.00

Sizes 30"; Signs have 8 - 1 1/4" G2 LED Lights each; Solar Powered

30" Grade Crossing Advance Warning DG Solar #30SW10-1DM: \$1,595.00

Sizes 30"; Signs have 8 - 1 1/4" G2 LED Lights each; Solar Powered

A/C POWERED SIGNS

30" Stop Sign A/C #30SDACNM: \$1,475.00

Sizes 30", AC Powered; 1 1/4" LED lights; Heavy duty aluminum

36" Stop Sign A/C #36SDACNM: \$1,650.00

Sizes 36"; AC Powered; 1 1/4" LED lights; Heavy duty aluminum

30" School Zone Sign A/C #30SZSACGM: \$1,525.00

Sizes 30"; AC Powered; 1 1/4" LED lights; Heavy duty aluminum

30" Pedestrian Crossing A/C #30PEDACDM: \$1,495.00

Sizes 30"; AC Powered; 1 1/4" LED lights; Heavy duty aluminum

Speed Limit Sign 24"x30" A/C #2430ACSLSDM: \$1,450.00

Sizes 24"x30"; AC Powered; 1 1/4" LED lights; Heavy duty aluminum

36" YIELD SIGN A/C #36ACR12DM: \$1,500.00

Sizes 36"; AC Powered; 1 1/4" LED lights; Heavy duty aluminum

30" LED Do Not Enter Sign A/C Solar #30SDNEH: \$1,500.00

Size 30"; Light - Size 1 1/4" White - 8 G2 LED Lights; Solar Powered

Additional signs available please call us.



Traffic Barricade Type A & C Light

Standard Flashing Light (Runs on two 6 volt lantern batteries - not included -batteries last approx. 40 days). Type "A" flashing and "C" steady burn. High Impact polypropylene - UV stabilized. Weight: 3 lbs. Perfect for increasing visibility in poor weather conditions. #8008:

LED Barricade Flashing Light

LED Flashing Light (Runs on two 6 volt lantern batteries - not included - batteries last 3 to 4 months). Weight: 3 lbs. LED technology lights can now last for years on one set of batteries. Ideal for increasing lighting in poor weather conditions in the work zone.

#8009:



LED Type A & C Barricade Light

Our all-new line of Type A, C and 3-way, 3volt high efficiency lights. Bright and dependable LED's coupled with power efficient, reliable moisture proof circuitry, provide trouble-free operation. Light may be operated using 2 or 4 "D" cell batteries - Batteries not included. #8072:

Solar Assist 3 Way Light

Internal solar panels trickle charge "D" cell Alkaline batteries to give a superior long lasting more reliable power source. Solar panels are internal providing less chance for damage and theft. Complies with ITE purchase specification referenced in the Federal MUTCD. #2006PLUS:



Solar Barricade Light - Type A&C

Dual Function, Double Sided, Solar Powered. Flash Rate: 60 Times/Minute, Power: 0.4 Watt Solar Panel, Energy: 2.4 Volt 1600 mAh, Illumination: 2 High Intensity Super Bright LEDs, Lens Cover Material: Polycarbonate, 6 Hour Sun Charge: Operates 120 Hours (Flash Mode) and 72 Hours (Steady Mode), On/Off Switch: Automatic on at Dusk; Off at Dawn, Colors: Yellow, Red or Blue

#DF002: \$49.75



Airport LED Red Dome Light

360 degree flashing light pattern utilizing 4 LED's. Lasts 76 hours after fully charged. Internal solar panels allow light to emit through top of dome giving more visibility to pilots. Standard 2" water pipe thread allows for easy installation. Polycarbonate dome and base. Manual external on/off switch. Optional clamp and/or base sold separately.

#601: \$60.00



18" LED Blinking Stop/Slow Paddle

Hand Held 18" double—faced LED Stop sign is composed of Engineer Grade reflective material & is push button activated. Over 1 mile visibility when illuminated. Powered by rechargeable Lithium Ion battery pack with over 12 hours of continuous flashing operation per charge. Over 2 hours steady operation per charge. Automatic 'tilt' shut off for power conservation. Foam grip for comfort. Rechargeable battery pack and charger included.

\$225.00

#18SL-STSLS:



| Super Brite LED Road Flare

360° of 16 super bright LED's, Visible light range over 7 miles/visible pattern light range up to 2 miles, 9 different flashing patterns including SOS Morse, Code, solid on (Lantern),etc. Road flare includes a powerful magnet to attach to metal surfaces, Waterproof and floats, Safe to use in many HAZMAT situations. Crush and corrosion proof, Replaceable lithium battery, Comes with Travel Plastic Case Box with rechargers.



21" Red LED Traffic Baton

Our LED traffic baton is an effective product for traffic control or crowd control. With high visibility LED red lighting, these batons are playing an increasingly important role in the traffic and pedestrian control. Make Safety Easier! Light baton includes several flash patterns: Flash - Steady - Top Lighting - Closed.

#554: \$10.50



Work Area Light Dual

#LED3100:

Portable area lighting. 8 foot light elevation, lamp heads independently, directionally adjustable. Battery rated for 500+ charge cycles - push to test voltage meter. Charge with clamp style jumper cables - can jump start vehicle. DC Power Port - Operate unit with external 12 VDC power - run other DC powered electrical devices. Yellow LED flasher on unit for added safety. Dim: 26"H x 17"W x 8"D. 44 lbs.

#8005: Dual Lamp \$1,175.00



11" Red LED Traffic Baton

Traffic baton is an effective product which greatly influences traffic control or crowd control. It will play a more and more important role in the safety control field. Make Safety Easier! 11" Red LED Traffic Baton, w/Flashlight and Magnetic bottom. Flash pattern: Flash - Steady - Top Lighting - Closed. Requires 3 AAA Batteries - Not Included.

#555: \$17.50



Workstar- Rechargeable, LED Floodlight

2200 lumens, 2 mode options & superior battery technology. Fully portable & rechargeable. 10 high powered LEDs, Li-Ion battery, 110° pivoting head, Can be mounted to a tripod, Cool to the touch, Water & shock resistant, Battery status and charging indicators, Chargers can be stored in back of the unit, USB charging port on back. Can operate while plugged in. Supplied with: 120v wall charger and car charger.

#511500: \$170.00

\$165.00

Additional Lighting



Wobblelight® 27"

27" tall Wobblelight® is a self-righting work light that can take a rough handling at home or on the job. The high-output, cool burning flourescent light is ideal for use in small, confined areas. No hot surfaces and low energy consumption. Lamp life - 8000 hrs w/15 ft - 25 ft lighting range.

#111203: \$135.00

SmithLight Traffic Model Traffic Signal

Rechargeable, weatherproof, colored LED signals, 12 hr. recharge time, remote controlled. Lumens - 1,030; Lighting Range - 40'; Bulb Type - Cree LED; Lamp Life - 50,000; Weight - 24 lbs; Temp Rating: -15 Degrees to 115 Degrees; Battery Life - 12V DC/18ah SLA, Run Time - Up to 168 hrs.; IP Rating - IP65

#IN20LB-R-EML: \$835.00

Mini WorkStar LED Flood Light

Lumens - 900 high - 450 low, Lighting Range - 50', Bulb Type - LED, Lamp Life - 50,000, Kelvin - 5,000, Wattage - 10, Weight - 2.2 lbs, Temp Rating: -4 Degrees to 140 Degrees, Battery Life - 3.7V 6000mah Li-lon, Run Time - 4 Hours high - 8 Hours low, IP Rating - IP65

#511510: \$70.00

Wobblelight® 36" 400w

36" tall Wobblelight® is ideal for applications requiring temporary high-output lighting in areas from 15 to 110 feet diameter. Bright, dependable, & self-righting, delivers maximum light output in a highly durable and portable package with no hot surfaces. Lamp life - 20000 hrs w/50 ft - 110 ft lighting range.

#111104: \$334.00

Defender Rechargeable LED Hand Lamp

All the durability and features of Defender® products in a rechargeable hand lamp. Tough housing and high-output LEDs make this light perfect for small jobs and standard issue equipment for your tradesmen and maintenance teams. Run time of 6 hours (low) or 3 hours (high).

#E712810: \$45.99

SmithLight Traveller

This LED work light is rugged, bright and versatile. The rechargeable battery makes this light portable and easy to use in any situation. Ideal for light industrial, utility and recreational use. Safety flash mode feature. 20-30 ft. range, up to 12 hours run time, 7-8 hours recharge time. 720 lumens.

#SL-TRAVELLER: \$350.00

Wobblelight® 36" 175w

36" tall Wobblelight® is ideal for applications requiring temporary high-output lighting in areas from 15 to 110 feet diameter. Bright and dependable, the selfrighting Wobblelight® delivers maximum light output in a highly durable and portable package with no hot surfaces. Lamp life - 10000 hrs w/25 ft - 45 ft lighting range.

#111102: \$274.00

Wobblelight® 36" 500w Halogen

36" tall Wobblelight® is ideal for applications requiring temporary high-output lighting in areas from 15 to 110 feet diameter. Bright, dependable, & selfrighting, delivers maximum light output in a highly durable and portable package with no hot surfaces. Lamp life: 2000 hrs w/15 ft-25 ft lighting range.

#111302: \$212.00

Caution Tape, Marking & more



Economical Yellow Caution Tane

3" x 1000' 2 mil economical quality barricade tape is designed to protect and identify above ground hazardous areas or elements such as construction sites, work areas, crime scenes, crowd control and can be used indoors or outdoors.

#17779-55553000: Carton of 10 Rolls \$69.50



Economical Red Danger Tape

3" x 1000' 2 mil economical quality barricade tape is designed to protect and identify above ground hazardous areas or elements such as construction sites, work areas, crime scenes, crowd control and can be used indoors or outdoors.

#17779-79793000: Carton of 10 Rolls \$69.50



3 Mil Barricade Tape -1000°

3"x1,000' per roll. Use indoors & out. Crisp, bold black lettering. "Caution", "Caution Do Not Enter", "Caution Keep Out", "Caution Men Working", "Cuidado Caution", "Danger/Peligra", "Do Not Enter", "Fire Line Do Not X","Keep Out", "Men Working","No Parking","Police Line Do Not X"."Black/Yellow Stripe"

#17779: Carton of 10 \$99.95



1/4" Yellow/Black Poly-Safety Rope

Choose 600' long or 1200' long. 100% 3-strand twisted polypropylene rope is great for construction, golf courses, crowd control, and general construction. Our safety yellow and black rope is highly visible and weather resistant.

#14980: 600 feet \$29.95 1200 feet \$49.95



Standard Highway Safety Flags

Heavy-duty vinyl coated safety flag is well suited for all construction and traffic applications. This flag is ideal for use on moving vehicles. Sold in Boxes of 10 Flags.

#14994: 18"x18"x24" 10 Flags \$33.50 #14994: 18"x18"x27" 10 Flags \$33.50 #14994: 24"x24"x36" 10 Flags \$39.50



Marking Flags (1000 Per Box)

Reusable 4" x 5" PVC flag attached to a 21" - 16 gauge steel wire staff. Long life colorfast pigments. Ideal for surveying, construction, digging etc. Colors - Red, White, Blue, Yellow, Orange, Green, Pink Glo, Orange Glo. Custom Print available please call.

#MF21: Choose Color Box of 1000 \$95.00



Pennant Flags (Case of 10)

60' long strings containing 36 brightly colored 9"x12" pennants. Ideal for use at construction sites, scaffolding, wet floors, sporting events, grand openings, etc. The pennants are available in solid red, solid yellow, solid orange, red/white, yellow/ white, orange/white, yellow/ black, and a 6-color combination.

\$39.50



OSHA Perimeter Flag Markers

Marker Flag is required by OSHA for perimeter marking of any above ground construction area, flat roof jobs, & open upper-level construction. 105' in length, containing 42 flags & exceeds the 500 lb required breakstrength. Choose between Yellow or Red or Red/Yellow. Flags are 12"x18".

#15903: Case of 10 \$85.00



Tape Tender Barricade Tape Dispenser

Sturdy polypropylene storage reel with a hardened steel safety cutting blade and carrying handle. Use with any 2" or 3" plastic tape on 3" cores. Lightweight construction. Tape advances as needed using thumb. Easy fill, self storage reel. Tapes sold separetely.

#TT1B: \$49.95



20 oz. Inverted White Spray Paint

Water-Based Inverted Spray Paints offer name brand quality at a more economical price. 12 cans per box. White.

SOLD in Boxes of 12 #652-10: WHITE PAINT \$55.00



Non-Detectable Underground Tape

Specifically designed for underground use, Our specially formulated extra heavy 4.5 mil polyethylene tape resists chemicals in soil for longer life. Available in 3" & 6" x 1000' rolls. Available in: Buried Water Line Below, Buried Electric Line Below, Buried Gas Line Below, Buried Sewer Line Below, Buried Fiber Optic Telephone Line

3"X1000' \$13.50

#17783:



Underground Detectable Tape

Ultimate protection in preventing costly "Dig-Ins". Available in 2", 3", or 6" x 1000' rolls. 5-mil double-laminated, blacklettered underground detectable tape comes in 8 APWA color-coded legends: Red-Electric, Blue-Water, Yellow-Gas, Green-Sewer, Green-Storm Drain, Orange-Telephone/Fiber Optic, Brown-Force Main, Purple-Reclaimed Water Line

#17774: 2" \$22.50 3" \$33.75 6" \$67.25



3" Color Barricade Tape

Specialized, white, polyethylene, barricade tape used to warn people of an asbestos or lead hazard. White tape is printed with both red & black ink & is used during abatement operations as mandated by OSHA. Meets or exceeds all OSHA regulations, comes in 3" x 1000' rolls. Available in asbestos or lead hazard warning tape.





Reflective High Visibility Tape

Adheres to smooth, clean dry surfaces. Ideal for marking posts, barricades & more. Reflective Tapes increase visibility in restricted areas & construction zones. Can also be used on floors, poles or anywhere extra visibility is needed. Choose Red, White or Yellow. 1,2 or 3" wide.

#RS: Low as \$21.75 ea.



Safety Track® Colors 60 Grit



This non-skid/non-slip tape is the preferred product line when visual warning is required to mark potential slip and fall hazards. Developed with maximum visual warning characteristics in mind. Safety Yellow, Yellow/Black stripes to "Caution" and "Watch Your Step". Durable high traction grit surface & aggressive adhesive system. NFSI -National Flooring Safety Institute certified for "high traction". Choose 2", 4" or 6" width x 60 feet long. Pre Cut Treads are sold 50 pcs/per case -Caution & Watch Your Step are 24 pcs/per case.

Call For Pricing

DT260 8mil Duct Tape



Our DT260 8mil Duct Tape is a silver polyethylene single coated cloth with high tack rubber adhesive. Perfect for a variety of utility tasks. Meets UL723 requirements. 2" x 60yd rolls packed 24 per case.

#17807-0-2000

#17807-0-2000: Case of 24 rolls \$125.00

Reflective Warning Stripe Tape



Reflective Warning Tape is a striped, self adhesive tape that can be used indoors and outdoors. Weather resistant and perfect during night time and low light conditions. Choose Black/Yellow or Red/White. 2"W x 30'

#R3000TB2: Black & Yellow \$35.00 #R4000RW2 #R4000RW2: Red & White \$35.00

Hazard 6 MIL Warning Tape 2" x 36 Yds



Used for reflectorizing rigid or reboundable work zone traffic control devices. Durable, self adhesive tape can be used of clean, smooth, nonporus surfaces. This High Intensity Reflective tape is visible day and night. Thin, flexible and durable, 4" or 6" sizes.

Choose: ORANGE or WHITE

#331: 4" x 50 vrds \$228.00 #331: 6" x 50 yrds \$279.00

Flexible Conspicuity HIP Grade Tape



Red/White calendered reflective tape with 5 year warranty. Pressure sensitive adhesive, flexible to conform over and around rivets. DOT-C2 rated - Used for marking posts, work equipment, and other areas where you need to go around corners or over rivets. Choose 2", 3", 4" or 6" wide rolls. 150 feet long.

#963-326: 2 inch wide \$115.00 #963-326: 3 inch wide \$175.00 #963-326: 4 inch wide \$230.00 #963-326: 6 inch wide \$350.00

Reflective Red-White 6 Diamond Grade

#983-326: 2 inch wide



equipment and any vehicle or equipment where high visibility is required. Meets NFPA 1901 standards. Choose 1", 2", 3", 4" or 6" wide rolls. 150 feet long. Allow 2 weeks lead time. #983-326: 1 inch wide

\$78.50

\$155.00

Premium, rigid, cast reflective tape with 7 year

warranty. Pressure sensitive adhesive. DOT-

C2 rated - ideal for use on trucks, trailers, farm

#983-326: 3 inch wide \$229.95 #983-326: 4 inch wide \$307.00

#983-326: 6 inch wide \$454.00

Pavement Tape - Construction Grade



Our temporary foil backed marking tapes are ideal for construction or roadwork where temporary re-routing of traffic flow is required. These tapes are easily installed by hand with no special tools or equipment. In some circumstances, a primer sealer is also recommended.

Choose: Reflective WHITE or YELLOW, 4" x 100yds

#17792: Case of 4 rolls \$450.00

Aisle Marking Vinyl Tape 2" x 36 Yds



We offer a wide selection of quality aisle marking and pipe banding tapes. Our aisle marking PVC tapes are made from a 6.0 mil vinyl film with a permanent acrylic adhesive system that will adhere to most clean and dry surfaces. Vinyl offers a matte, smooth tape that is great for marking

hazards on floors, walls and equipment. 2" wide x 36 yards long.

Choose: Black, Brown, Dark Blue, Dark Green, Green, Grey, Medium Blue, Orange, Purple, Red, White or Yellow

#CVT-636-2: Case of 24 rolls \$147.75

PowrLiner™ 850 Striping Machine



Target Customers:

Small School Building and Grounds Personnel, Turf/Field Managers (Professional, College, High School), Property Managers, Athletic Clubs, Asphalt/Seal-Coating Contractors, Maintenance Personnel, Golf Courses, Retail Parking Lots (Fast Food, Hotels, etc), Painting Contractors, General Construction Contractors

Target Applications:

Sports Fields, Sport Courts, Parking Lots, Touch-ups, Curbs, General Purpose Painting (houses, fences, barns, etc.)

Model 850

#0290005: \$1,600.00

- Pressure Control Adjustment
- Auto Oiler
- · Adjustable Front Wheel
- Full Stenciling Capabilities REMOVABLE GUN!
- · Holds five gallon pail
- Adjustable Height Handle
- LX-40 2-finger Gun
- 417 Reversible Airless Tip
- 50' X 1/4" Airless Hose
- 2 year warranty
- 84 lbs.

Heavy Duty Stencils

Material - LDPE, Long life - built for repetitive daily use. Will not be damaged by paint or solvents. Lays flat for the best quality painting. Precision cut to ensure high quality marking. Easy to clean and rolls up for easy storage

No Parking Stencil 12" x 9" Chracter Size 1/8"

#70002: 1/8" LDPE, 18"H x 103"W **\$91.50**

39" View Standard Handicap Stencil 1/16"


#STL3039-D: 1/16" Thick **\$49.95**

12" Number Stencil Kit - 1/16"

#STL8120-D: 12" Number Stencil Kit 1/16" Thick. **\$61.00**







13" Analog Measuring Wheel

Large digital display with Stop/start button. Easy to use for measuring long distances in any weather or light conditions. Measures up to 10,000 ft/inches, 10,000 yards/tenths, 10,000 meters/cms. Weather and moisture proof. Adds forward, subtracts in reverse. Convert to feet, yards, or meters with the touch of a button.

#11249: \$69.95



Spray Paint Applicator Wand

These convenient hand held wands make application clean and easy. Wands are available in 12" & 34" lengths. For use with Inverted Spray Paint cans only!

#4000: 12" wand \$25.25 #4000: 34" wand \$32.25

Traffic Paint Machine

Designed for Mutual's Traffic Stripe Paints, this easy-to-use machine applies crisp even lines to concrete and asphalt. 2" to 4" lines.

#20840: \$175.00



Use with Mutual's Athletic Field Paints (#20624), this machine easily creates 2" to 4" lines on athletic fields or other turf surfaces.

#20841: \$175.00



Traffic Stripe Paint Case of 12

20 oz. water-based paint formulated with high pigment solids is not affected by water. Perfect for a wide range of applications including blacktop, concrete, gravel, and dirt. Available in white and yellow. For use with Spray Machines. Coverage up to 250 Feet for one can. Sold in cases of 12 cans.

#824: WHITE Case of 12 \$79.95 #824: YELLOW Case of 12 \$79.95



Athletic Field Paint Cases of 12

20 oz. water-based paint is specially formulated to not harm grass, yet is not affected by water for maximum durability. Available in White and Yellow.

Pavement Repair



















Trowel Grade Crack Filler - 5 Gallon Pail

High Performance Fortified with mineral fillers for filling larger cracks up to 1" wide. 65 lbs. Full Pallet is 36 Pails.

#M1020P: \$39.00

Pourable Cold Crack Sealant - 5 Gallon Pail

An economical cold pour crack filler rubberized for added flexibility. Recommended for cracks up to 1/2" wide. 65 lbs. Use Cold Applied crack filler as is. Do not dilute. Stir material and apply by pouring or troweling. Smooth out with squeegee or trowel. 1 gallon covers approximately 75' to 100' of cracks.

#M1010P: \$45.00

KOLD-FLO® Pourable Asphalt Crack Filler 5 Gal Pail

Modified asphalt emulsion crack filler & sealer that is ideal for repairing cracks in roads, pavements, driveways, concrete foundations, parking lots and other asphalt or concrete surfaces. Cost-effective & fast-curing asphalt crack repair solution for filling and sealing cracks from weather's destructive freeze and thaw cycles.

#80-00008: \$59.50

Deery Super Stretch - 1 Pallet 75 Boxes

Fast curing, premium quality, hot applied single component crack & joint sealant. Our best all around sealant. Only the most appropriate high quality synthetic elastomers, polymers, and anti-oxidants meeting exacting standards are used in combination with select asphalt plasticizers and naturally occurring reinforcing materials. Contains no solvent, is highly waterproof and resistant to a wide range of salts, bases, and organic materials. Tested for low temperature flexibility at -0°F (-18°C).

#80433-350P: \$1650.00

Instant Road Repair - Pallet of 36

Special blend of liquid adhesive and carefully graded limestone. Saves you money by cutting down on frequent repatching. No mixing or heating—ready to use. No special equipment needed—just use a broom and shovel. No cutting or priming of hole or crack. Adheres to asphalt, concrete or masonry surfaces, not tires. For expansion joint repairs, fill to a slight crown to allow for compaction. Depths greater than 3 inches require compacting in 2 inch layers. Use year around (Even During Harsh Weather Conditions). Can be used on wet surfaces and temperatures from -40 degrees to 168 degrees fahrenheit. Non-toxic, non-caustic, non-flammable. Can be used for repairing firm-based surfaces or for putting down overlays. Skid resistant. Won't shift or pile. Extended storage life. Makes repairs that last.

#50050: Pallet quantity of 36 - 3 1/2 gallon buckets

\$725.00

UNIQUE® High Performance Fast Set Mortar 48 lbs.

When it comes to patching concrete surfaces, use UNIQUE® high performance fast setting mortar (HPFS). Our concrete repair solution is versatile enough that it can be used on virtually any sound concrete surface. With excellent bond strength and a quick seal, UNIQUE® HPFS is your go-to concrete patching material. Open to foot traffic in 1 hour, open to vehicle traffic in 3 hours. Applicable to virtually every horizontal concrete application less than 6" deep.

#52-00001: \$36.95

HP High Performance Asphalt Repair 50 lbs. Bag

Whether it is repairing utility cuts or patching that reoccurring pothole, HP high performance cold patch is rapidly becoming the material of choice. HP is approved as a high performance patching material in most states and other user agencies within the United States. HP is specifically formulated for the wide-ranging temperature and climate of your area. HP is permanent, fully guaranteed against any failure, and most important, does the job right the first time.

#34977: \$11.50

HP Concrete Cold Patch 56 lb. Bag

Crafco HP Concrete Cold Patch is a unique, gray color, cold applied, single component patching material. Use HP to repair potholes, spalls, cracks and other confined voids and distresses over 1 inch wide and greater than ½ inch deep in Portland Cement concrete. It can also be used to repair roads, highways, streets, airport pavements, parking lots, bridge and parking decks, sidewalks, walkways and floors. Unlike most other concrete patching materials, no mixing, heating or special installation equipment is required. Works in all weather conditions; wet, cold or hot. No mixing, mechanical compaction or tacking. Permanently adheres to concrete. Patch will not release. Use at any temperature between 30° and 100°F. Open to traffic immediately after compacting. 56 lbs. 56 Bags per pallet.

#34969-51: \$29.5

STIFFWITCH® Broom

Make those repairs even faster and easier by using the STIFFWITCH® broom for road repair. STIFFWITCH broom leaves no debris unturned for a perfect sealing and filling operation every time. Sometimes known as a road broom, is a tool specially designed for removing debris from cracks, potholes, and damaged areas of asphalt and concrete pavement and infrastructure. A completely clean and debrisfree repair field is always necessary for the best fill and adhesion with UNIQUE's pavement and pothole repair products. The strong, durable STIFFWITCH broom makes that clean and debris-free repair zone completely possible.

#STIFFWITCH: \$46.50

Sandbags - Green, Orange & White



Circular woven polypropylene sandbags come complete with heavy poly-twine ties. Available in bright orange, white or olive green(1600 hr. UV protection). Weighing 45 pounds when filled. 10 x 10 Weave construction per square inch. 850 Denier (fabric weight is approximately 2.2 ounces per square yard). Bags will generally retain 70% of their strength after 1600 hours of exposure to sunlight.

SOLD in BAILS of 1000 #1426TSUV:

Self Inflating Bags (packs of 10)



Automatically absorbs water & expands when in contact with water. Lightweight - easy to distribute & transfer. Requires no sand, no expensive manpower or equipment to move or manage. Automatically locks in water with no leakage. Biodegradable and environmentally friendly. It inflates up to 40-45lbs within 5 minutes when contacts with water. 22"x14"x16" after inflated

SOLD in Packs of 10 #14981-24-14: \$65.00

One Ton SandBag (Pallet of 50)



The One Ton Bag is an incredibly strong & durable bag that safely holds thousands of pounds of dry materials. "Full Yard Bag" holds a yard of material & over 2,500 pounds! The One Ton Bag is a perfect vehicle to transport yard(s) of dry material such as sand, gravel, dirt, stones, etc. Size: 33.5"L x 33.5"W x 41.5"H All our bags are made from extremely durable woven polypropylene material. More sizes available.

#OTB-1: Pallet of 50 \$600.00

Concrete Washout Bag



The Slurree Sack™ holds 18 Cubic Feet (130 gallons) of wet or dry material and will not seep due to its internal plastic liner. Requiring no external structure due to its specialized design, and is capable of standing on its own. Size: 40"w x 40"l x 24"t Size When Folded Approx 24" x 30" (Folds compactly so it can easily fit behind the driver's seat) Weight Cap.: 1,500 kgs = 3,300 Lbs

#OTB-WASHOUT:

Pallet of 50 bags \$1,125.00

14" x 26" Burlap Sandbags (Ctn 1000)



Our heavy 10 oz. burlap sand bags are great for flood barriers, military uses, and rip rap. Each bag is 14" x 26" with a tie-string that pulls the top closed. Available in bails of 1000 only. Call for delivery charge estimate.

SOLD in Packs of 1000 #14974-14: \$750.00

14 "x 26" High UVI Orange Sandbags



High visibility orange sandbags for highway barricades and outdoor use. Tough, long lasting polypropylene, resists punctures and tears.

14" W x 26" H. Tie chords attached for secure closure.

Also available in white or green.

#FP1420OR: 100 bags \$50.00 500 bags \$215.00 1000 bags \$400.00

Black Sandbags 4,000 HR, 1000 Pack



14" x 26" Black Sandbags, Bale of 1.000 (25 per Bundle). Extreme Duty nicknamed 3 Year Bags, 4,000 Hour UV Rating, Includes Tie Strings, Double Stiched Bottom, Used for all kinds of construction and water retention projects.

#BLACKSANDBAG:

1000 Pack

\$850.00

H20 Dams (sandless sand bags)



"Sandless" sand bags are compact & lightweight for storing, but will grow to 32 lbs. in times of need. Just add water and watch them grow. Contains super-absorbing polymers that will swell and gel with water. Contents are nontoxic, nonhazardous and biodegradable. Stagger multiple bags to build a retaining wall. Sold in a Case of 12 Bags. 12"x24" after inflated.

SOLD in Cases of 12 #OILM7368: \$78.50

Fencing



Flame Retardant Debris Netting

4'x150' Flame Retardant Debris Netting satisfies OSHA regulations for debris containment, perimeter safety, overhead protection. Made of knitted polyethylene threads with reinforced border. Lightweight, stays flexible in cold weather. Meets OSHA specifications. Hole opening 1/4".






Orange Diamond Link Fence

4' High OSHA orange, high density polyethylene (HDPE) fences are very rigid & very strong. 2 x 2 holes, looks & feels like chain link but are all plastic. Used for construction sites, sporting events, crowd control, parades, golf tournaments & stadi-


#14988: 50' Long \$49.95 100' Long **\$69.95**



Orange Warning Barrier Fence

4' high, extremely versatile and economical plastic construction site safety fence. Lightweight & flexible is easy to handle as well as install. This fence is highly visible & ideal for all construction applications as well as Haz Mat, crowd control, & many other uses. 3.5" x 1.5 " openings.

#14993: 50' Long **\$29.95** 100' Long \$39.95




Green Warning Fence

ums.

Our Green Warning Barrier Fence is an extremely versatile and economical plastic construction safety fence. This 4' high fence is highly visible & is ideal for all construction applications as well as Haz Mat, crowd control and many other uses.

#14993G: 50' Long **\$31.95** 100' Long **\$49.95**



Heavy-Duty Warning Barrier

Heavy Duty Warning barrier ideal for temporary snow & sand control, or for any application where a more durable warning barrier fence is desired. Flexible & easy to handle. This fence is highly visible & is ideal for all construction applications as well. 4' x 100' roll. One roll weighs 20 lbs.

#14973-48: \$45.95



Wood Snow-Sand Fence

With 4 strands of 14 gauge twisted wire supporting 3/8" x 1 1/2" natural wood slats, our traditional wood lathe slatted fence is ideal for snow & sand control. Comes in 4' x 50' rolls.

\$64.50



2" Sauare Sign Posts

Galvanized Square posts designed for back-to-back mounting on all 4 sides. 7/16" holes on 1" centers the full length of the post. 12 or 14 gauge.

8 feet - 14 gauge	\$32.95
10 feet - 14 gauge	\$39.00
10 feet - 12 gauge	\$48.50
12 feet - 14 gauge	\$41.00
12 feet - 12 gauge	\$59.00
	10 feet - 14 gauge 10 feet - 12 gauge 12 feet - 14 gauge



U-Channel Sign Posts

Posts are tapered on one end for easy installation. Punched holes through the length of post. 8' and taller posts are ideal for permanent sign installation. Weight is 1.5 lbs or 2lbs per foot. Sold in Post Bundles.

#ISCUP: Galvanized - choose 6', 7', 8', 10' & 12' Height

Starting at \$9.20 each

#ISCUP: Green - choose 6', 7', 8', 10' & 12' Height

Starting at \$9.29 each



Nominal Oak Stakes (Bundle of 25)

High grade hardwood stakes have pencil points for easy driving. Use these to assemble your own silt fence, staking hay bales, perimeter markers, plus countless other applications. Sold in Bundles of 25 Stakes. 1" x 2" Nominal (3/4" x 1 3/4" Actual) 60"

#14666: \$44.25



Silt Fence (Contractors Grade)

Save money by using our superior quality non-spec contractors grade silt fence: Economical 36" or 24" width silt fabrics (MISF 150) 1-1/2" x 1-1/2" (Nominal) hardwood stakes Stakes spaced every 10' (10' centers) 11 stakes per 100' fabric.

#14987-150: 24" x 100' \$25.00 #14987-150: 36" x 100' \$29.50



Steel Fence Posts

Heavy duty steel posts are easy to install & are made of durable 13 gauge steel. They are rust proofed by phosphate etching and feature a green enamel finish. Each post has a stabilizing anchor plate and comes in 5' or 6' heights.

#14645-5: 5' High, Pallet of 150 #14645-6: 6' High, Pallet of 150 \$810.00 \$900.00



Soft Mesh Safety Vests

- 100% Blaze Orange or Lime/Yellow Polyester, lightweight, soft, comfortable & cool.
- Sturdy Knit Construction, 3/4" x 8" elastic sides. Hook & Loop Closure
- Black Poly Cotton Binding Oversized
- "One Size Fits All"
- Call for Quantity pricing!

#1630: Orange or Lime/Yellow Green \$3.50 25+ \$2.85 #163: Orange with Lime/Yellow 1" Stripes \$4.95 25+ \$4.25





Non ANSI Mesh Vest

- Non-ANSI Vest
- 100% Polyester Mesh Fabric
- Hook & Loop Closure
- Durable Side Elastic Straps
- One Size fits most.

#CSVT-001: Orange or Yellow **#CSVT-002**: Orange or Yellow /1" Reflective Stripes





High Intensity Mesh Vest

- Conforms to MUTCD standards
- Constructed of high quality 100% soft fluorescent polyester mesh, imprintable quality.
- · Contrasting black cotton binding all around
- 1" x 3" hook and hoop front closure, 3/4" x 8" elastic side straps for fitting.

#A110: L /XL Orange or Lime Green \$6.00
#A120: Orange w/1" PVC Stripe; Small or Medium \$5.75
#A120: Lime Green w/1" PVC Stripe; Small or Medium \$6.95
#A120: Orange or Lime Green w/1" PVC Stripe; Large or X-Large \$7.50
#A120: Orange or Lime Green w/1" PVC Stripe; 2X-Large or 3X-Large \$7.95





Orange Soft Mesh Safety Vest

- Soft mesh is the most popular vest material & Mutual's knit poly mesh sets the industry standard for quality and comfort.
- Hook & Loop Closure
- Poly Mesh Fabric
- 1-1/2" Lime/Silver/ Lime Reflective
- Orange Vest

#16300-153-1500: \$6.00 25+ \$5.50



Class 2 Safety Vest

- Class 2 Mesh Lime/Yellow Polyester
- 2" Reflective Silver Stripes
- Expandable Radio Pocket, Pencil Pocket, Zipper Pocket, Large Inner Pocket
- Zipper Closure
- Sizes: Medium through 3XL

#V1300: Sizes: M, L, XL, 2XL & 3XL \$15.00 25+ \$14.00



Class 2 Tear Away Mesh Vest Lime Yellow

- ANSI Class 2.
- Lime mesh polyester material.
- 5 Point Tear-Away design.
- 2" reflective silver w/orange triple trim contrasting stripes.
- Hook and loop closure.
- Size adjustable: Medium 3XL.

#V1500: Sizes: M, L, XL, 2XL & 3XL (add \$0.50 for 3XL) **\$14.00 25+ \$13.00**

Safety Apparel

#\$750

Class 2 Fluorescent T-shirt w/2" Silver Reflective Tape

- High visibility T-shirts utilize Birds Eye polyester high wicking moisture management fabric.
- 2" Silver Reflective Tape,
- 1 Pocket

\$20.00 #S750: Class 2, Orange or Lime, Sizes: M-4XL 10+ \$19.00

Class 3 Fluorescent Long Sleeve w/2" Reflective Tape

- High visibility T-shirts utilize Birds Eye polyester high wicking moisture management fabric that keeps perspiration away from the body to keep you cooler & more comfortable.
 - ANSI/ISEA 107 Class 3 Compliant Long Sleeve Shirt .
 - 2" Silver Reflective Tape
 - 1 Left Breast Pocket •

#\$75522: Sizes: M-4XL \$27.00 10+ \$25.00





ANSI Class 3 Hoodie

- Drawstring Hood, Zipper Closure
- Soft ANSI Fleece, this is a high quality, nominal 9oz per sq. yd. ANSI Fleece. 300g/m2
- Slant Pockets
- 2" Silver Reflective Stripes
- ANSI Lime Color

#16382: Sizes: S-2XL \$35.50

Class 3 Safety Vest

- ANSI Class 3, lime/yellow mesh polyester material. •
- 2" reflective silver w/orange triple trim contrasting stripes. •
- Expandable radio pocket, outside zipper pocket, large 5" x 7" inside pocket, & pencil pocket.
 - Zipper closure. •

#V155: Lime Yellow Vest **#V255**: Orange Vest Sizes: M-XL \$14.00 Sizes: 2XL \$14.50

Sizes: 3XL \$15.00





Class III Lightweight Vests

- 100% ANSI certified new lightweight polyester body, mesh sleeves & underarm cooling ventilation panels.
- Non-conductive zipper front closure.
- One left 2-tier chest pocket, one large radio pocket with secure strap, two lower flap pockets, two inside large pockets.
- · Generous armholes for comfortable fit.
- 2" Level II ANSI certified silver reflective stripes. Contrasting stripes provide extra day & night visibility
- 360° reflectivity provides full body outline.
- Orange or Lime/Yellow

#C310: Sizes: M, L, XL, 2XL & 3XL 25+ \$16.00 \$17.50



Class 2 Safety Vest

- ANSI Class 2.
- Lime/Yellow mesh polyester material.
- 2" reflective silver stripes.
- Hook and loop closure.
- Recommended for highways

#V30: Sizes: M-XL \$7.00 **#V30:** Sizes: 2XL-5XL **\$8.00**



Outdoor Post and Base - 7'6" Belt

#88535

The 885 Outdoor original is constructed of UPVC to withstand nature's elements. Mounted on a rugged grey base which can be filled with water (antifreeze recommended for cold climates) or sand for stability. With a shipping weight of only 4lbs and an easy to detach post, the 885 is easy to transport and store. Yellow posts with 7' 6" belts. Measuring 37.75" Tall, 2.5" Tube OD, 15" Base Dimension. \$139.00

SafetyPro Belt Barriers - 16' Belt

#SPRO3000

SafetyPro 300 features a 16' belt for long span barriers. With .055 gauge steel & a 14" solid cast iron base with full coverage floor protector, the SafetyPro 300 is built to withstand the wear and tear. High visibility post colors & belt options. Height: 40", Weight: 24lbs, Post OD: 3" Steel/stainless steel post. Simple assembly.

Choose Belt - Black, Fluorescent Orange, Red, Yellow

\$159.00

Choose Belt - Authorized Access Only, Black/White Striped, Black/Yellow Striped, Caution Do Not Enter, Danger Keep Out, No Entry, Red/White Striped \$159.00

Extended Height Portable Safety Barricades - 48.5"H x 136"W Expanded

#VG-1048

VERSA-GUARD is a portable, free-standing, expanding barricade system providing effective safety, security and work zone identification. Features: High visibility protections with a pleasant professional look. Convenient compliance with regulatory requirements. Sturdy aluminum and steel contruction weighing from 25 to 40 lbs. Durable and attractive high gloss powder coat finish. Interlocking end post to create custom configurations. Height: 48.5 in. Expands from 17 in. to 11ft. 4 in.

#VG-1048: Unit with wheels also available

Expand-A-Gate - 39"H x 122"W Expanded

#PEXGATE30

PEXGATE is constructed of heavy-duty molded yellow & black plastic. One side of gate includes reflectors for better visibility. End pieces are hollow and may be filled with liquid for added weight. Assembly required. Designed to set up quickly & easily wherever & whenever they are needed. Lightweight design allows personnel to quickly retrieve the gate & limit access to unsafe areas. Smooth operating scissor action. Interlocking & nestable.

Avaion Crowd Control Barrier - 79"L x 39.4"H

#CSP-AV

High visibility polythylene barrier with anti-trip feet. Has flexible configurations to accommodate a variety of surfaces - flat, straight surfaces, curbs and sloped terrain. Linking design creates secure, tamper free, connections - units adjust to uneven ground. Panels on both sides for retroreflective sheeting. Holes for affixing signs. Retroreflective striped sheeting in engineer grade or high intensity prismatic grade. 24 lbs., 79"L x 39.4"H

Choose Orange, Blue, White or Yellow

(ADD Engineer Grade Sheeting Both Sides for \$15.00)

\$110.00

Xpandit Plastic Expandable Barricade - 37"H x 11' 5"L Open, 16.5"L Closed

#XPANDIT

Replace your old metal barricade with the newest, latest, and greatest, plastic expandable barricade, Xpandit™. EZ to handle, store, and does not rust. It is di-electric and heat resistant. Its durable material allows for a sturdy and lasting effect. Simple to assemble. Restricts access quickly and links together. Wheels included in box. For use in a variety of applications including Theme Parks Hotels Airports, Elevators, Stores, Parking Garages, Restaurants, Maintenance Companies, Convention Centers, School systems/Universities.

#XPANDIT: 16.5" Closed, 11' 5" Long open by 37" H

\$190.00













Plasticade A-Frame Barricade Kit, 2 Legs with 2 I-Beam Boards

#2002-KITS

Rugged, "double-wall" A-Frame plastic barricade. Includes two A-Frame legs & two I-Beam Boards. Choose length of I-Beam Board, 6' or 8', & type of striped sheeting, engineer grade or high intensity prismatic grade. Sheeting applied to both sides of I-Beam boards. Unique I-Beam board creates a rigid barricade system & protects the sheeting. A-Frame legs are designed to receive flashing lights & can be internally ballasted with sand. Boards weigh 1 lb. per foot. A-Frame leg dimensions: 28'W x 42"H (board opening - 2"W x 8"H) Weight: 5 lbs. Made in the USA.

6' I-Beam w/E.G. Sheeting \$85.95;

6' I-Beam w/H.I. Sheeting \$99.50;

8' I-Beam w/E.G. Sheeting \$104.95;

8' I-Beam w/H.I. Sheeting \$115.00

Multi-Gate Plastic Expandable Barricade - 43"H x 90"L Opened, 5.35" L Closed

#MULTI-GATE

This expandable gate features quick & easy set up and is lightweight, easy to carry and store. Impact and temperature resistant. Locks in position at desired length. Block off area with two safety tape slits. 52 reflective strips for exceptional visibility. Fluorescent orange Thermal resistance: + 55 C - + 130 F High density polyethylene recycled material, reflective film, carry handles, duel clip locks, positions lockers. Length closed: 5.35" Length opened: 90" Height: 43" Weight empty: 19 lbs Filled with water weight: 43 lbs

Movit Portable Plastic Barricade - 6.5'L x 39.4"H x 2"D

#BAR

Durable one-piece design, stacks compactly for storage & transport. Manufactured in a polypropylene material that's durable, lightweight, environmentally safe & easy to handle. Proven worldwide at prestigious events. Perfect substitute for heavy steel barricades. 6 1/2 ft. Long, comes in a variety of colors & has an integrated display area reserved for your logo or message. Integrated inter-panel connection system allows panels to remain connected at 90 degree angles, yet disconnect easily. Pre-drilled holes in each foot to allow for permanent anchoring. Perfect for indoor & outdoor.

RotoCade™ Display Style Barricade - 86"L x 42"H

#RC01

RotoCade barricades are oversized for extra safety & effectiveness. Each barricade measures 86" long (96" hinge-to-hinge) x 42" high (44" standing height) when deployed & creates an extremely durable & highly visible barrier. Additional height prevents barricade jumpers from unauthorized crossings and aids security. Has an oversized display area for signage & graphics & event information. Panels stack flat for storage & transport. Panels may be filled with water or sand for greater ballast. Due to their added height and stability, these barricades are perfect for hanging banners and flags. Available Orange, Green, or Yellow. \$195.00

Crowdstopper® Steel Barricade - 8'7"L x 43"H

#GS0

Made of high quality carbon steel and is hot-dipped galvanized inside and out to ensure long-term weather resistance. Most popular type of crowd control barricade. Feet are detachable. Sections connect using our easy-to-use hook and loop fastening system. Durable 1.5"OD 16 gauge steel tubing. Uprights are fully inserted into the frame before welding, providing extraordinary strength. Specs - Size: 8'7"L (8'4" when interconnected) x 43" H - @Weight: 43 lbs. \$110.00

Galvanized: Bridgefoot or Flatfoot

\$129.95

Vinyl Coating: Orange, or Black, Bridgefoot or Flatfoot

Strongwall ADA Pedestrian Barricade & Rubber Base - 40"H x 43"L x 15.25"W

Rubber Base #CSP-SW-ADA35B

ADA Compliant, no trip hazard for pedestrians - meets or exceeds ADA Guidelines & MUTCD Standards. No sandbags needed! Linking sections are made up of two pieces that securely fit together - Top Wall - rugged polyethylene - Bottom Base - 43 lb. self weighted black base, with carry handle. Modular system can be shaped to any layout. Stable in windy conditions, quick & easy to install. Anti-tamper linking system. Compact stacking. Available in orange or white. Specifications for single section with base: Height 40" Length 43" Width 15.25". Total Weight with rubber base - 51 lbs. #CSP-SW40 \$59.95 Rubber Base \$69.00

Facility Protection & more





40' Roll of Black/Yellow Bumper Wrap

High Visibility Bumper Wrap - 12" W x 1/2" thick for barriers, posts & bollards to protect vehicles from impact & scraping damage. Manufactured from a non-marring, high visibility flexible vinyl. Conforms to rectangular posts, I-beams and round barriers. Multiple layers of Bumper Wrap can be stacked to protect any height or section of post. Wrap can be attached with plastic banding or standard cable ties.

#ROLL: \$270.00



Column Wrap - Yellow/Red Stripes

Good in Parking Facilities, Drive Thru's, Warehouse Stores etc. Gain visibility for motor vehicles & protect columns & posts. Durable outer Nylon Shell, Dense Outer Foam Interior, 10 oz Nylon Fabric, with Velcro Attachment. Rip Stop, Waterproof, Fade Resistant, Mold/Mildew Proof. Core is 1/2" thick loose cell foam. 3M Reflective Tape to help night visibility is 2" thick. All include easy to use Velcro attachment.

#CWYR: 36"W \$88.00; 48"W \$102.00; 60"W \$117.00; 72"W \$131.00;



Bollard Yellow Cover Red Stripes

Durable thermoplastic sleeves hide worn down posts. No need to scrape, paint or sandblast just cover. 1/8" thick Polytheylene (HDPE and LLDPE) & 3M reflective tape. UV stable & guaranteed against fading and cracking for 5 - years. Easy to install. Measure post circumference (distance around post), divide by 3.14 to determine the diameter, measure post height (add 2" - 4" to the height of the post)

#BCYR: 8 sizes from 4"x53" to 11"x60" Starting at \$37.95



Narrow Column Protector

Absorbs impact, protects warehouse & factory columns, posts & beams, fits round or square supports. These blow-molded 100% high density polyethene protectors are resistant to most chemicals and feature key-lock to prevent slippage and assist installation alignment. No tools required. Two halves attach with easy-to-install straps. Fits 4-6" columns & measures 13" W x 13" L x 42" H

#1704: **\$156.00**



Structural Column Protector

Absorbs impacts. These blow-molded 100% high density polyethene protectors are resistant to most chemicals & feature key-lock to prevent slippage & assist installation alignment. No tools required. Two halves attach with easy-to-install straps. Fits H-beam, I-beam, square and round columns of concrete, wood or steel.

#17: Yellow 6", 8", 10" or 12" Low as \$269.00



1/4" Thick

Dome Top Bollard Cover - Yellow

Bollard covers fit all pipe sizes securely. Available in Red and Yellow - Custom Colors Available upon Request. UV protection in every bollard cover to prevent fading.

#BPD-YL: 4" X 52"	\$55.00
#BPD-YL : 4" X 60"	\$55.00
#BPD-YL : 6" X 52"	\$55.00
#BPD-YL : 6" X 84"	\$88.50
#BPD-YL: 8" X 52"	\$75.00
#BPD-YL: 8" X 69"	\$91.50



72" Flex Post - BollardFlex

Smooth Clean Look that can be Used in Handicap Locations. Impact resistant with 360° of flexibility. Delineates when hit at speeds. 9.5" square 7 Gauge Standard Steel Base Plate. Steel 1-5/8" Round Galvanized Post. 72" x 7" Polyethylene Bollard with 3M Reflective Tape. Mounting Hardware included for either Concrete, Asphalt or Natural Ground Surfaces. Choose post color & tape color.

#BF-72: \$356.00



Post Protector Base

Helps protect sign post from automobiles. Easily installed by one person. Light weight - no heavy lifting. Constructed of durable polyethylene plastic. No painting needed. Excellent for temporary post installations. Place over an existing post or free standing. May be filled with sand, concrete or stone. Weighs 400 lbs. when filled.

#P: Choose Blue or Yellow \$125.00



Corner Guards

Corner guards for warehouse and dock use. Protection from facility damage by vehicles or any activity that may cause potential damage. Made from recycled rubber.

#CG:

Medium Duty 31.5" x 4"; 5 lbs. \$24.00 Heavy Duty 31.5" x 4.75"; 5.5 lbs. \$34.00

Post, Door & Wall Protection













Corner Wall Protector 42"H

Corner Sentry[™] adds a protective layer to your vulnerable corners. Flexible EVA shield absorbs impacts and protects both the corner and the vehicle. Corner Sentry can be installed with mechanical fasteners, or with the use of Sentry's cinch straps (not included) to square posts or concrete columns. 42" tall, 2" thick (at corner), 1" thick (at edge), Covers 4"x4" of corner

#CNR42: \$68.00

52" BollardGard with 25 lb Octagon Rubber Base

BollardGard Anywhere is great for rapid deployment in any situation! The durable 25 lb. molded rubber base is great for temporary or permanent applications. Cover quickly and easily attaches to the base. Great for use in valet stands, parking lots, maintenance areas, etc. Choose blue with white stripes, red with white stripes or yellow with red stipes.

#BGAW452 - 4"x52": \$85.00 #BGAW752 - 7"x52": \$89.00

42" Round Concrete Wrap

Concrete WrapTM adds a durable layer of protection around your existing round concrete columns, protecting both your column and vehicles from collision damage. Increases the visibility of the column. Formed from a 2^n (50mm) layer of polyurethane foam with a protective EVA shell. A single sheet will cover a 10^n diameter post. A pair of sheets will cover a 24^n diameter post. For larger posts simply add sheets; for smaller posts the products can be cut or overlapped.

#CW0244-KIT: \$525.00

Downspout Protectors

Protect down spouts and pipes attached to buildings from damage caused by fork trucks, vehicles and mowers. Our Steel Down Spout Guards fit around standard down spouts. Easy bolt on installation - installation hardware not included. Steel model is powder coated safety yellow. 48"H x 9 3/16"W x 6 1/8"D

#DSG-48: \$105.00

42" Corner Protector (Set of 2)

Corner Guards prevent damage to warehouse roller dock doors and ensure safety. Sold in a set of 2, 42" x 6" x 10" ea with a 1/8"-3/4" thickness tolerance. Yellow.

#1725: \$125.00

Omega Pipe Bollards 6" X 48"

This 48" x 6" bollard is designed to absorb the impact of a forklift, sweeper and other in-plant vehicles. Constructed from 6" Schedule 40 Structural Pipe. Surface Mounted and Core Mounted models available. Attractive, highly visible OSHA Approved - OMEGA Traffic Safety Yellow finish. All hardware is included. (5/8"X4-3/4" Floor Anchors) and vinyl caps. Weight is 92 lbs.

#OM6048: Round Posts (anchor hardware included) \$198.00

3 or More



Indoor/Outdoor Convex Circular Mirror

Indoor/Outdoor Acrylic Convex Mirror with Resistant Backing & Trim. Increase Visibility - Prevent Accidents & Deter Theft. 160° Degrees of Viewing Area. Includes mounting hardware, backing, trim around lens edge. Suitable for almost any security or safety application. As these mirrors reduce the image size, it is important to use a mirror that is large enough to allow visibility & detail of the area you are monitoring. A good rule of thumb is to use one inch of mirror diameter for every foot of distance you are from the area you are monitoring (watching a 30' area, select a 30" diameter mirror). Clean with a microfiber cloth using ammonia free glass cleaner or a gentle soap & water solution. Do not use harsh chemicals or abrasive cleaning materials.

#H113:	12" Indoor / Outdoor Convex Circular Mirror	\$52.00	\$48.00
#H113:	30" Indoor / Outdoor Convex Circular Mirror	\$89.00	\$82.00
#H113:	36" Indoor / Outdoor Convex Circular Mirror	\$115.00	\$108.00
#H11348	1: 48" Indoor / Outdoor Convex Circular Mirror	\$220.00	\$199.00



Convex Roundtangular Acrylic Mirrors

Convex Roundtangular Acrylic Mirrors give 160° degrees of viewing area. Cropped top & bottom allows for installation in areas with low clearance. Weighs less than glass mirrors. Designed for use indoors or in sheltered areas. Mounting Bracket included.

			0 01 111010
#H131:	12" x 18" Convex Roundtangular Acrylic Mirror	\$59.00	\$54.00
#H113:	18" x 26" Convex Roundtangular Acrylic Mirror	\$69.00	\$60.00
#H113:	20" x 30" Convex Roundtangular Acrylic Mirror	\$85.00	\$80.00
#H113:	24" x 36" Convex Roundtangular Acrylic Mirror	\$108.00	\$103.00



Full Dome Acrylic Mirror

Acrylic Full Dome Mirror, Foam backing for extra strength. Perfect for Hallways at "T" intersections & for monitoring lobbies & waiting rooms with obstructed views. Hook & chain are included.

Lowest price on the Internet - very cost effective.

#H143:	18" Dome Mirror - 360 Degrees of Viewing	\$45.00
#H143:	24" Dome Mirror - 360 Degrees of Viewing	\$54.00
#H143:	26" Dome Mirror - 360 Degrees of Viewing	\$64.00
#H143:	30" Dome Mirror - 360 Degrees of Viewing	\$78.00
#H143:	36" Dome Mirror - 360 Degrees of Viewing	\$98.00
#H143:	48" Dome Mirror - 360 Degrees of Viewing	\$140.00
	• 44	

Quantity pricing available, please inquire.



Quarter Dome Acrylic Mirrors

Acrylic quarter dome mirror, foam backing for extra strength perfect for hallways or elevators at "T" intersections & for monitoring lobbies & waiting rooms with obstructed views. Mounting clips included lowest price on the internet - very cost effective.

			3 OI WILLE
#H141:	18" Quarter Dome Mirror - 90 Degrees of Viewing	\$25.00	\$21.00
#H141:	24" Quarter Dome Mirror - 90 Degrees of Viewing	\$29.00	\$25.00
#H141:	26" Quarter Dome Mirror - 90 Degrees of Viewing	\$32.00	\$28.00
#H141:	30" Quarter Dome Mirror - 90 Degrees of Viewing	\$39.00	\$35.00
#H141:	36" Quarter Dome Mirror - 90 Degrees of Viewing	\$45.00	\$39.00
#H141:	48" Quarter Dome Mirror - 90 Degrees of Viewing	\$64.00	\$55.00



Half Dome Acrylic Mirror

Acrylic half dome mirror, foam backing for extra strength perfect for hallways or elevators at "T" intersections & for monitoring lobbies & waiting rooms with obstructed views. Mounting clips included.

Lowest price on the internet - very cost effective.

#H142:	18" Half Dome Mirror - 180 Degrees of Viewing	\$35.00
#H142:	24" Half Dome Mirror - 180 Degrees of Viewing	\$45.00
#H142:	26" Half Dome Mirror - 180 Degrees of Viewing	\$47.00
#H142:	30" Half Dome Mirror - 180 Degrees of Viewing	\$49.00
#H142:	38" Half Dome Mirror - 180 Degrees of Viewing	\$75.00
#H142:	48" Half Dome Mirror - 180 Degrees of Viewing	\$98.00

Quantity pricing available, please inquire.

Signicade® Portable Sign Stand



Our most popular sign. Signicade® all plastic sign stand holds 2 signs 24"W x 36"H. Attach your ridged sign with wood screws, well-nuts, velcro or 2-sided tape. Regressed sign area helps to protect sign faces. Can be internally ballasted with sand. Molded-in handle for easy portability. Dimensions: 45"H x 25"W x 3"D.

> Choose yellow, blue, black, green orange, red or white.

#130: \$69.95

Made 🗓 U.S.A.

Signicade® Deluxe Sign Stand



Change Signs in seconds with "Quick-Change"™ feature. Use Coroplast™ signs or other material 3/16" or less. "Stay Tabs" assure sign stays securely in place. No maintenance - all plastic, use indoors & out. No tape, Velcro®, or screws needed which eliminates fastener damage to signs. Internally weight with sand - ballasting columns, add sand to each leg. Hinges lock in open position. Patented slot design just slide in a sign. Holds 2 - 24"W x 36"H signs. Stand dimensions 46.375"H x27"W x 3"D.

> #140: White or Black \$79.95

SquareCade™ 45" Sign Stand - Plain



A-Frame all plastic sign stands are strong and durable. Available in White, Yellow or Orange. Features "click lock"™ hinges for a positive interlock in the open position. Units are molded hollow and can be internally ballasted with sand or water. Engineer Grade Legends are applied directly to the sign surface. Our most popular legends are in stock and ready for shipment. Company Names can be stenciled on the stands for identification and to prevent theft.

#145: White, Orange or Yellow \$59.00

#145-LGEG: Stand with Legend \$75.00

Made fin U.S.A.

OUR MOST POPULAR LEGENDS

























icade® Sign Stand - Plain



Minicade® Sign Stand, in White, Orange, and Yellow. 36"H x 13"W x 3"D. Holds signs 12" x 24", A-Frame all plastic sign stands are strong and durable. They feature "click lock" hinges for a positive interlock in the open position. Units are molded hollow and can be internally ballasted with sand or water. Reflective sheeting or legends can be applied directly to the sign surface (Call to inquire).

\$39.95 #155: White. Orange or Yellow

#155-HT12EG: Orange Stand w/4" Engineer Grade Striped Sheeting on both sides \$45.00

#155-HLGEG: Stand with Legend

Made fin U.S.A.

OUR MOST POPULAR LEGENDS















S

0

W

Narrowcade® Sign Stand in White, Orange, and Yellow - NO SHEETING, 45"H x 13"W x 3"D, holds 12" x 24" sign. A-Frame all plas-











larrowcade® Sign Stand - Plain

tic sign stands are strong and durable. They feature "click lock" hinges for a positive interlock in the open position. Units are molded hollow and can be internally ballasted with sand or water. Reflective sheeting or legends can be applied directly to the

sign surface (Call to inquire)

#150: White, Orange or Yellow \$37.95

#150-HLGEG: Stand with Legend \$59.00

Made fin U.S.A.

OUR MOST POPULAR LEGENDS

























School Crossing Sign Stands - 4 Sizes

A-Frame all plastic sign stands are strong and durable w/two **yellow-green fluorescent diamond grade** school crossing signs. All sign stands can be internally weighted w/sand.

Squarecade $^{\text{TM}}$ 45 Stand, 45"H x 25"W, 24" x 24" signs, 18 lbs. \$180.95 Narrowcade $^{\text{TM}}$ Stand, 45"H x 13"W, 12" x 24" signs, 11 lbs. \$110.95 Squarecade $^{\text{TM}}$ 36 Stand, 36"H x 25"W, 24" x 24" signs, 17 lbs. \$160.95 Minicade $^{\text{TM}}$ Stand, 36"H x 13"W, 12" x 24" signs, 10 lbs. \$100.95





Wind Sign II Gray - Quick Change

Resists head-on winds up to 60 mph. Quick change feature allows signs to slide in and out easily. Uses Coroplast signs or other material 3/16" thick or less. All plastic frame eliminates torn, bent or rusted frames. Plastic base has two built-in wheels & can be filled with dry sand. Tool free assembly. Maximum sign weight of 5 lbs per side. Coil springs resist strong winds and return the sign to an upright position. Weighs 25 lbs - Base 9lbs, Maximum of 115 lbs of dry sand. Made in the USA

#1822: Frame Dim: 42.9"H x 26"W x 2.5"D, Base Dim: 53"H x 28.7"W, Sign Insert: 24"x36" & 3/16" Thick

\$139.00

5 or more \$129.00



Quik® Sign

Change signs in seconds with no extra hardware! Once installed, signs stay securely locked in place. Won't tear or scratch car seat upholstery. Plastic is far more friendly than steel. High density polyethylene assures no rust, splinters, discoloration or maintenance. Attractive, light weight, durable and inexpensive. Molded-in regress helps protect sign faces. Display two signs per unit. Molded-in 'stacking lugs' nest into each other when units are stacked which prevents sliding.

Portable - Measuring 30.5" H x 26" W - 6.8 lbs. Sign Face 18" x 24". 2" Thick when closed. Made in the USA

#1200: Black or White Stand \$35.95



Simpo Sign II

Slide in a sign in seconds. Use Coroplast™ signs or other material 3/16" or less. Stay Tabs™ assure sign stays securely in place. Grabber Hinges hold a Sign Rider. Sign Blank Size: 22"W x 28"H; Outside Dimensions: 24.375"W x 37.25"H; Closed Thickness: 2" Weight: 10 lbs. Colors: White. Can use all sign blanks up to 3/16" thick, including Coroplast, foamboard, and aluminum.

#1225: \$42.00



Metropolitan™ Sign Stand

Six Sign per Frame - 360° messaging, two 24" x 36" signs, two side signs and two sided top rider. Wheels for easy movement. Quick-Change™ Feature, change signs in seconds. Arched top design and no visible hinges. Customizable nameplate. Internally weight with dry sand. Outside Dim.: 45.54"H x 26.72"W x 3.58"D. Recessed area dim.: 34.75"H x 24.25"W. Weight: 24 lbs. Signs not included

#195: Black or White \$99.95



Portable Pyramid Sign Base w/Post

Portable Sign Base: 22" height x 22" width x 22" depth durable polyethylene plastic base with wheels. Sign Post: 98" height, 1.9" width steel pipe sleeved with high-density thermoplastic - red. Fill with concrete, sand or gravel (up to 100 lbs.) or 22 Gallons of water. Drainable options for easy mobility. Signs and sign hardware are not included.

#BPB-RD-98-RD-W: \$190.00



Portable Pole 2[™] Sign Holder

Includes 24" diameter rolling sign base with 48" pre-drilled 2" diameter pole to hold sign panels from 9" x 12" to 24" x 24" for 1 or 2 sided display. Sign Face not included, sold separately. Additional Hole added to accommodate 12" x 36" Pedestrian Yield Sign. Base can be filled with water or sand for stability in winds up to 30-40 mph.

#PP-2: \$89.50 #PP-2W: With Wheels \$94.50



Tip 'N Roll® Sidewalk Sign

Truly portable sidewalk sign that looks great, getting your message seen. 24" diameter black Tip 'N Roll base, 24" x 47" Sidewalk Sign with 2-sided, blank white 24" x 36" sign face. **Contains:** 1 - 24" x 46" x 0.5" white sign face with tracks for 7 lines of copy on both sides; 1 set of 314 - 4" letters (black), numbers (red) and symbols (black)

#TNR-MB: \$149.25



Octagon Sign Base 60 lb.

ENVIROform Portable Sign ideal for anywhere portable or temporary signs are needed. Base is made from 100% recycled rubber and will not chip, crack or corrode. For excessive wind areas we also make a 30 pound extender to add to any of our octagon bases. Base w/wheels is 18"x18"x6". White post is 1.5"x5' PVC. Brackets included, sign not included.

#SB60: \$149.00



Order Online:

www.TrafficSafetyWarehouse.com

Call Toll-Free:

1-877-966-1018

CUSTOMER NUMBER	
PRIORITY CODE	

For All Your Traffic Safety Needs www.TrafficSafetyWarehouse.com

CALL TOLL FREE: (877) 966-1018



Stop & Go Dock Signal Light LED Yellow Housing

- Long-lasting LED lamps
- 11 3/4" x 6 3/4" x 3 3/4"
- Designed to be Hardwired
- One Year Defect Warranty



29.5" PU Urban Flex Delineator Post

- Flexibility and Durability
- Withstand Repeated Hits
- Rebounds To Stay Erect
- Most Economic Post Available



15" HD Red Traffic Baton with Magnet

- Heavy Duty Traffic Baton
- Waterproof
- 1 3/16" Diameter
- Operates on 3 AAA batteries

we accept













we accept