

- Proudly designed and manufactured in the USA
- Built for durability to withstand the toughest environments
- Industrial military grade case comes with every light fixture
- Engineered with the most energy efficient LED technology
- 360 degrees illumination
- High power glare free light for safer environments
- Portable and quick setup
- Extra long run times to save you money
- Plug and play system
- Very limited maintenance
- 2 year limited warranty



Over 10 Years Of Lighting Experience



- Frequency 50-60Hz (Hertz)
- Color Temperature 5000 Kelvin
- Operating Amperage 2.27
- Lamp Lifetime 50,000 hours
- Weight of Light Fixture 14lbs
- Dimensions of Light Fixture L 7.5" / W 7.5" / H 19"
- Restrike Time Instant
- Coverage @ .5 foot candle 10,609 square feet
- Power Cord Standard 25ft length *custom lengths available upon request



- Power Consumption (watts) 400w
- Lumen Output 76,000 lumens
- Voltage AC 110-220 voltage
- Frequency 50-60Hz (Hertz)
- Color temperature 5500 Kelvin
- Operating Amperage 3.33
- LED Lifetime 50,000 hours
- Weight of light fixture 22.1lbs
- Dimensions of light fixture L"10, W"10, H"21
- Restrike time Instant
- Coverage @ .5 foot candle 17,798
- Power cord Standard 25ft length

 *custom lengths available upon request



- Frequency 50-60Hz (Hertz)
- Color Temperature 5500 Kelvin
- Operating Amperage 6.67
- Lamp Lifetime 50,000 hours
- Weight of Light Fixture 30lbs
- Dimensions of Light Fixture L 9.75" / W 9.75" / H 20"
- Restrike Time Instant
- Coverage @ .5 foot candle 40,531 square feet
- Power Cord Standard 25ft length *custom lengths available upon request